

#### SAN ANTONIO WATER SYSTEM Addendum No. 1

To

#### **Construction Documents**

For

2014 WATER & SEWER CONSTRUCTION PACKAGE III SAWS WATER JOB NO. 14-5019 SAWS SEWER JOB NO. 14-5519 Solicitation # B-14-026-RA

To Bidder of Record:

This addendum, applicable to the work designed above, is an amendment to the bidding documents and as such shall be a part of and included in the Contract. The original contract documents and any prior addenda remain in full force except as modified by the following that shall take precedence of any contrary provisions in prior documents.

#### 1. PRE-BID ATTENDANCE LIST:

The attendance list for the August 1, 2014, Mandatory Pre-Bid Meeting held at 2 P.M. in room CR-C145 is reproduced below. Bids will only be accepted from those firms that attended this meeting.

	Company Name
1.	Texas Sterling
2.	D. Guerra Construction
3.	National Power Rodding Corp.
4.	San Antonio Constructors, Ltd.
5.	Bartek Construction
6.	IPR/PM
7.	Facilities Rehabilitation
8.	Prota Construction
9.	Terra Testing
10.	Pronto Sandblasting & Coating & Oil-Field Service Co.
11.	R.L. Jones, LP
12.	D & D Contractors, Inc.
13.	Atlas Construction

#### 2. BIDDING AND CONTRACT DOCUMENTS:

- A) Attached is the revised bid proposal with the following bid items removed:
  - 1) Bid Proposal: Remove Item 68s, Sewer Line Point Repair (6"-12") (0'-14' cut).
  - 2) Bid Proposal: Remove Item 69s Sewer Line Point Repair (15'-24") (0'-14' cut).
  - 3) Bid Proposal: Remove Item 35sa Sewer Line Point Repair (6'-12") (0'-14' cut).
- B) Attached is the revised bid proposal with the following bid items added:
  - 1) Bid Proposal: Add Item (818) 30" DI Waterline (Restrained) (0'- 9' Cut)
  - 2) Bid Proposal: Add Item (818) 30" DI Waterline (Restrained) (9'- 14' Cut)

2014 WATER & SEWER CONSTRUCTION PACKAGE III Addendum No. 1, Sheet 1 of 4

- 3) Bid Proposal: Add Item (832.0) 30"x16" Tapping Sleeve and Valve
- 4) Bid Proposal: Add Item (840.0) 30" Water Tie-In.
- 5) Bid Proposal: Add Item (3100) 16" Temporary Waterline
- 6) Bid Proposal: Add Item (4000) Hydro Stop (30")
- C) Attached is the specification for item 4000, Hydro Stop:
- D) The revised estimated construction cost is \$2,179,031.41.
- E) Attached are the revised project maps.

#### **Response to Bidders Questions**

- Q1 I wanted to verify there are no plans needed for any of the 2014 Water and Sewer Construction Packages 1-4 per the postings on the website, thank you.
  - A1: No plans will be provided at this time. Plans will be issued prior to the individual work order per project.
- Q2 Although I am able to view the specifications on your website I am unable to view the drawings/plans for the 2014 SAWS Water and Sewer Construction Packages 1, 2, 3 and 4, for SAWS Job No.(s) Water: 14-5017 & Sewer: 14-5517.
  - **A2:** No plans will be provided at this time. Plans will be issued prior to the individual work order per project.
- Q3 We downloaded the specs & plans and I was curious if there is a format of the bid proposal forms for each package that I can just fill in the blanks and print. I tried converting package into a word document, but when it came to the bid proposal the format on certain pages changed up from original and/or there were missing lines. I am hoping to avoid having to manually type forms on typewriter and/or hand write each one out.
  - A3: Updated bid proposal is attached.
- Q4 On bid item 98W, 99W & 65WA these items are for water leak repairs. Is it SAWS intent to issue a work order for a leak repair only or will this be used only if a leak occurs on existing water main on a work order already issued?
  - A4: Based on the nature of work required for a specific project, additional work may be issued for a water leak repair near a project site. Work orders assigned can involve major work or minor adjustments.
- Q5 Same question on the Sewer bid items 67S, 68S & 35SA for point repairs. Will this item be used only if an existing sewer line collapses on a work order that has already been issued or will point repairs be issued as the only work on an independent work order only?
  - **A5:** All sewer point repair bid items will be removed from the bid document and a new bid proposal will be issued within the addendum.

- **Q6** What is the anticipated time frame for these bid packages to be awarded and construction ready to kick off on these projects?
  - **A6:** Typical time between award of a contract and authorization to proceed may be up to 2-3 months.
- **Q7** Are the Sewer bid items 37S, 38S, 39S, 71S, 72S & 73S to be paid for only on exiting sewer manholes or on new manholes?
  - A7: Please refer to recent SAWS construction specification (April 2014) for clarification.
- **Q8** The same questions as previously asked. Will work orders be issued for manhole rehabilitation only or as part of large work orders to install new sewer lines?
  - A8: Work orders assigned can involve major work or minor adjustments.
- Q9 Under Special Conditions SC-5, will SAWS accept a list such as (1) Foreman, (2) Operators and (4) Laborers as a detailed description of the available crews for these projects?
  - A9: Full disclosure of all employees (names, positions, etc.) related to crews is required.
- Q10 Lab & Density Testing is the responsibility of the Contractor but due to undefined locations of construction and the short time frame between a work order being issued and the time required for us to start there is no ability to generate a Proctor so that we can take densities once backfilling takes place. Under a normal procedure digging would take place, a proctor is sent off and minimum 5 days is necessary to get results, then densities for backfill/compaction can be taken. Will you consider paying for flowable fill for repairs under pavement to circumvent this logistical problem? Otherwise we have to plate and come back later to backfill & take densities.
  - A10: Standard construction methods will be utilized. The use of flowable fill will only be considered at the request of the governing agency (i.e. TxDOT, Bexar County, CoSA, etc.) based on the permits issued.
- Q11 If the material encountered during excavation of a work order is unsuitable and select backfill material is required, will the City pay for it?
  - A11: The use of any foreign material (i.e. select fill, flowable fill, etc.) will only be considered at the request of the governing agency (i.e. TxDOT, Bexar County, CoSA, etc.) based on the permits issued. Payment will be made by SAWS only.
- Q12 Because the time and length of Work Order is undefined, it is impossible for us to determine how long a Bypass Operation will be needed, can you add a measureable length of time as a pay item? Example per week respectively for 8", 15", etc.?
  - A12: The duration of an individual work order based on a specific project will be clearly defined. Bypass Operations will be required for the completion sewer work.

- Q13 SAWS Spec for generating ByPass Plans (864.3) requires Flow Data two weeks in advance of work beginning and contract doc's aren't providing any so presumable Contractor must provide. Will Contractor be given enough time in advance to flow meter a work order location in order to generate the info ad subsequent ByPass Plan? Will the City consider adding a pay item for Flow Metering?
  - A13: Bypass Operations are determined by the contractor per work order based on the agreed construction schedule. Flow data may be provided based on the complexity of a project. Otherwise, the contractor is to determine the required flows within the Bypass Pumping Plan (BPP). No additional payment for flow metering will be considered.
- Q14 Spec Item 1103.4 1.d Payment for Point Repair, it states "No payment will be done for a Point Repair if it falls within the limits of a service lateral reconnection" per my interpretation if a Point Repair work order is given unknowingly that there is a service lateral reconnection at that location then only the Service Lateral reconnection will be paid, not the Point Repair?
  - A14: The bid item for point repair has been eliminated from this bid document.
- Q15 Is Bypassing incidental to the Service Lateral Reconnection?

A15: Any bypass pumping is incidental to installation of the service laterals as required to complete the work.

The remainder of the bid documents remains unchanged.

Each bidder is requested to acknowledge receipt of this Addendum No. 1 by his/her signature affixed hereto and to file same as an attachment to his/her bid.



M. Antonio Leyva, P.E


Manager

**SAWS** Governmental Engineering

The Undersigned acknowledges receipt of this Addendum No. 1 and the bid submitted herewith is in accordance with the information and stipulation set forth.


Date Signature of Bidder

END OF ADDENDUM






2015 STREET MAINTENANCE PROGRAM MP-1





2015 ALLEY MAINTENANCE PROGRAM MP-2









#### ITEM NO. 4000 SPECIFICATIONS FOR USING HYDRO STOP TO ISOLATE AN ACTIVE WATER MAIN

#### **1.1 SCOPE:**

Under this item Contractor shall furnish all labor, materials, supervision and equipment to properly install a Hydro Stop into an existing ductile iron water main in accordance with these specifications.

#### 1.2 DESCRIPTION OF PROCEDURE:

The Hydro Stopping procedure is a means of temporarily plugging a pressurized pipe without disrupting pressure or service upstream of the Hydro Stop. A Pressure Tap is first made into the main, allowing insertion of the Hydro Stop plugging special Hydro Stop fitting, the temporary valve can be later recovered after the plugging head has been removed from the main. The sequence consists of sixteen steps, two of which must be accomplished prior to placing orders for Hydro Stop materials.

- **1.2.1** For Ductile iron pipe determine from engineering, and/or manufacturers' records:
  - (a) make, (b) specification, (c) age, (d) cross sectional dimensions.
- **1.2.2** Prior to ordering material: Excavate, dewater, expose and clean the exterior of the main at location of Tap(s). If main is heavily corroded; or if utilities will interfere with fittings, support/reaction blocking, or equipment; move location up or downstream to structurally sound pipe.
  - a. Caliper O.D. of all mains to determine ovality.
  - **b.** Verify wall thickness and interior condition.
  - c. Backfill, restore as necessary.
- 1.2.3 Upon fitting delivery, re-excavate; dewater. Assemble split Hydro Stop fitting(s) to the main.
- **1.2.4** Pressure test per Engineer's specs.
- **1.2.5** Pour concrete support and reaction blocking. Allow to cure per Engineer's instructions.
- **1.2.6** Mount temporary tapping valve(s) to Hydro Stop fitting(s).
- **1.2.7** Mount tapping machine; open valve; pressure tap; retract cutter; close temporary valve, remove tapping machine.
- 1.2.8 Mount Hydro Stop machine, open temporary valve; insert Hydro Stop plugging head into main.
  - a. If two or more Hydro Stops; insert downstream plugging head first.
  - **b.** NOTE: No flow in main greater than 1 fps for a single (3 fps for a double) at time plugging head is inserted into main.
- **1.2.9** Test for shutdown at drain nozzle.
- 1.2.10 Cut downstream main, Install required fittings.
- 1.2.11 Retract Hydro Stop plugging head(s) close temporary valve. Remove Hydro Stop machine.
- **1.2.12** Install completion machine; open valve.
- **1.2.13** Insert completion plug into nozzle of Hydro Stop fitting.
- **1.2.14** Remove completion machine and temporary valve.
- **1.2.15** Repeat Par. 1.1.12 thru 1.1.14 at other Hydro Stop fittings(s).

**1.2.16** Install blind flange(s) into nozzle of Hydro Stop fitting(s) and into drain fitting(s).

#### 1.2 INTERRUPTION OF FLOW:

The existing mains cannot be shut down or taken out of service. To insure that the entire operations shall be accomplished without interruption of water service or flow, the installation shall be accomplished by Contractor personnel skilled and experienced in the procedures specific to Hydro Stop of this size.

#### **1.3 REDUCTION OF PRESSURE:**

The entire operation of making the Tap(s) shall be accomplished with the line pressure operating at no more than the safety limit established by mathematical calculation of the hoop stress of the unsupported cylinder with the reinforcing (pre-stressed) wires removed. A safety factor of 80% of yield is normally used. This calculation will determine the maximum operating pressure at the time of the material installation and the Tap.

#### 1.4 PRELIMINARY FIELD INSPECTION OF MAINS:

Dimensional, specification, and other data regarding the existing mains have been taken from records, many of which are old and/or inadequate. These data have not been verified by field inspections. Many of these mains consist of very old concrete pipe which may contain dimensional and structural flaws. In addition, it is anticipated that exterior main conditions, service connections, or presence of adjoining utilities may require relocation of proposed Taps.

- **1.4.1** It is necessary to know the exact main O.D. diameter before Hydro Stopping fittings can be manufactured.
- **1.4.2** Prior to ordering material, Contractor shall excavate at each proposed location and caliper the header O.D. along at least four (4) diameters to determine ovality.
- **1.4.3** Contractor shall determine main wall thickness, uniformity and structural integrity by means of ultrasonic testing. Data shall be submitted to Engineer.
- **1.4.4** If, in Engineer's opinion, the proposed location is unsatisfactory he will direct excavation at another site. Excavating, dewater, inspections, backfill and restoration will be separate pay items.

#### 1.5 HYDRO STOP FITTING AND ACCESSORIES, DUCTILE IRON:

Fitting shall be full encirclement type, split tee. It shall consist of three steel weldments; (1) an upper flange saddle plate and (2) a lower saddle plate/or straps and (3) tapping flange and nozzle with gland sealing against water main.

- **1.5.1** Material Drawings: Contractor shall submit to Engineer five (5) sets of drawings, furnished by manufacturers, fully and distinctly illustrated and describing the tapping fittings proposed to be furnished.
- **1.5.2** General: Manufacturer will exercise extreme care to insure that weldments are of adequate strength, properly shaped, securely reinforced and free from distortion that could stress the ductile iron main or its internal steel cylinder during pressure tapping.
- **1.5.3** Steel Weldments: All steel shall meet the requirements of ASTM A36, as a minimum. All weldments shall be braced and stress relieved.
- **1.5.4** Gaskets: Shall be molded from elastomer compounds that resist compression setting and are compatible with drinking water in the 32 to 140 deg. F temperature range.
- **1.5.5** Upper Flange Saddle Plate Assembly: Shall consist of a saddle plate, an anchor flange, and a cylindrical anchor neck (or nozzle).

- **a.** Saddle plate shall be of 0.375" minimum thickness and shaped to concentric to the outside of the ductile iron main. Grout hoppers shall be provided equally spaced across the saddle plate.
- **b.** A cylindrical anchor neck of 0.375" min. wall thickness shall be securely welded to the saddle plate.
- **c.** A 1.25" thick anchor flange shall be drilled and tapped to allow attachment of the gland assembly. The anchor flange shall be securely welded to the anchor neck.
- **d.** Two sets of gaskets shall be provided to retain the grout between the saddle plate and the outer coating of the ductile iron main. One gasket will be placed second will lie immediately outside the neck.
- **1.5.6** Lower Saddle Plate: The lower saddle plate/straps opposite the tapping nozzle) shall be shaped to fit the contours of the outer coating of the ductile iron pipe.
- **1.5.7** Hydro Stop Flange And Nozzle Assembly: This weldment shall consist of the Hydro Stop flange and nozzle welded to a gland which shall seal against the internal cylinder in the concrete pipe.
  - **a.** The flange shall be drilled to match the anchor flange and Class 125 (ASA B 16.1-1960) Flange shall also have locking pins built into retain the completion plug.
  - **b.** Minimum wall thickness of nozzle shall be 0.375".
  - **c.** The gland shall seal to the exterior of the cylinder by means of an elastomer gasket confined in a steel retainer ring. This retainer shall be shaped by manufacturer to conform to the contour of the ductile iron main. Contractor shall provide manufacturer with a template prepared from a section of the main at the locations where the Tap is to be installed.
- **1.5.8** Completion Plug: The completion plug shall be machined from a stress relieved carbon steel weldment. It shall contain two (2) circumferential grooves: one to receive the locking devices from the Hydro Stop flange, and the second to contain a compressible "O" ring to seal pressure tight against the bore of the flange.
- **1.5.9** Blind Flange: The Hydro Stop fitting shall be closed with a blind flange. Facing and drilling of the blind flange shall be compatible with that of the Hydro Stop flange. Minimum blind flange thickness shall be that of AWWA Spec. 207, Class D.
- **1.5.10** Gaskets: Shall be molded from elastomer compounds that resist compression setting and are compatible with water in the 32 to 140 deg. F temperature range.

#### 1.6 INSTALLATION OF HYDRO STOP FITTING, DUCTILE IRON PIPE:

Note: Ductile Iron Water Main shall have been exposed and inspected by Contractor prior to ordering Hydro Stop fitting. Contractor shall power wire brush and grind the exterior of the main to remove any debris, corrosion deposits, or other surface irregularities that might interfere with proper seating and sealing of each tapping fitting against each main. Any structural defects in main, service connections appurtenances, adjacent utilities, etc. that could interfere with tapping installation shall be immediately reported to Engineer.

- **1.6.1** Inspection: Contractor shall fit upper and lower saddle assemblies to main, thoroughly checking for proper fit to main.
- **1.6.2** Assembly to Main: Under no circumstances shall Contractor attempt to force, reshape or bend saddle plates by excessive tightening of saddle studs while Hydro Stop fitting is assembled around the main.
  - a. Any retrofitting shall be accomplished with the fitting removed from the main.
  - **b.** Any damage to fitting, accessories, or main shall be repaired at Contractor's expense to the satisfaction of Engineer.
- **1.6.3** Assemble of Saddle: Upper and lower saddle assembly shall be drawn up against the main to compress gaskets.
  - **a.** The exterior surface of the nozzle half of the main be wetted thoroughly by pouring water into the grout hoppers.

- **1.6.4** Grouting: Grouting material shall be a rich, high early strength, non-shrink, Portland cement mixture. Its' consistency shall be fluid enough to allow it to flow between the saddle plate and the surface of the main.
  - **a.** Upper saddle plate shall be grouted by pouring mixture into grout hoppers and vibrating saddle plate to eliminate air pockets.
  - **b.** After grout has taken initial set, draw studs shall be tightened as necessary.
- **1.6.5** Hydro Stop Flange/Nozzle Gland Assembly: Contractor shall thoroughly clean and prepare the surface of the ductile iron water main to insure a pressure-tight seal to the gland gasket. Surface imperfections such as weld seams shall be carefully filed.
- **1.6.6** Pressure Test: Using a tapped blind flange, Contractor shall pressure test the Hydro Stop fitting to verify satisfactory gland seal. Test pressure shall not exceed recommended amount to avoid collapsing the ductile iron water main.
- **1.6.7** Nozzle Grouting: The entire volume between the Hydro Stop nozzle and the anchor neck shall be filled with grouting material. Contractor shall vibrate the nozzle to eliminate air pockets.
  - a. Nozzle grout must thoroughly set before mounting temporary valve.

#### 1.7 THRUST AND SUPPORT BLOCKING:

Prior to mounting temporary valve and pressure tapping machinery, Contractor shall install concrete thrust and support blocking as shown on the plans. Blocking shall reach a minimum cure strength specified by Engineer before any valves or machinery shall be mounted onto the Hydro Stop fitting.

#### **1.8 CUTTING OPERATION:**

Drilling equipment shall be in good condition, and equipped with power drive to insure smooth cutting and to minimize shock and vibration. Cutting equipment shall be carbide tipped and capable of being renewed without removal from jobsite.

- **1.8.1** Tapping Equipment: Shall be mounted and blocked to temporary valve and the entire assembly pressure tested.
  - a. Upon acceptance from Engineer the Pressure Tap may be performed.
  - **b.** Upon completion of Tap, machine shall be retracted, with coupon, into its' housing, temporary valve closed and equipment removed.

#### 1.9 HYDRO STOPMACHINERY:

The equipment shall consist of a folding plugging head that contains an elastomer sealing element. The plugging head is advanced into and from the main by means of a linear actuator. When retracted, the plugging head and carrier are housed in an adapter, bolted pressure tight between the tapping valve and the actuator.

- **1.9.1** Plugging Head: The diameter of the plugging head shall be the same as the pipe size. Plugging head shall open mechanically and sealing element is in full contact with the bore of the main when fully seated.
- **1.9.2** Sealing Element: The element shall be monolithically molded from a suitable polyurethane compound. The element shall be flat in a plane perpendicular to the flow in the main and seal against the I.D. of the main when plugging head is in the full open position.

#### 2.1 COMPLETION:

The completion of the Hydro Stopping shall include the installation of the Completion Plug (1.5.9) and a Blind Flange (1.5.10).

- **2.1.1** Completion Plug: Test of completion plug (1.5.9) sealing shall be accomplished through bleed-off in machinery housing.
- **2.1.2** Removal: Temporary valve shall be removed and installation of blind flange shall be completed.

#### 3.0 COMPENSATION:

Payment for Hydro Stop is made per unit price bid and shall include complete installation and restoration of the water main to service.

#### BID PROPOSAL

PROPOSAL OF		, a corp	oration	
a partnership consisting of				·
an individual doing business as				
Enclosed with this bid are (1) Bid Bond, and (2) States Plan and (4) Conflict of Interest Questionnaire in a understood that all proposals submitted without these herein may be rejected.	ccorda	nce with th	e Instructions	to Bidders. It is
The duration of this Water & Sewer Construction exhausted, whichever comes first, from issuance of the for individual work orders shall be established on a cas amount of sewer or water work.	e Autho	orization to	Proceed. Sche	dules and duration
Quantities shown are approximate and the bid items I the contract. All items and quantities within the bid SAWS to be used under this contract. Work order qua order is issued.	propo	sal are esti	mated and are	not guaranteed by
THE SAN ANTONIO WATER SYSTEM: Pursuant to Instructions and Invitations to Bidders, the materials as specified and perform the work required for Plans and Specifications for the following prices to with	or the			
BASE BID:				
General Water Bid Items  Item Specification No. & Description  No. (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
1 w (103) Remove Concrete Curb				
Dollars				
andCents	LF	90	\$	\$
2 w (103) Remove Sidewalks & Driveways				
Dollars				

SF

90

\$\_\_\_

Cents

No. 3 w	(Unit Price to be written in words) (103) Remove Miscellaneous Concrete	)	Unit	Quantity	Unit Price	Total Price
		_Dollars				
	and	Cents	SF	45	\$	\$
4 w	(203) Tack Coat					
		_Dollars				
	and	Cents	GA	30	\$	\$
5 w	(205) Hot Mix Asphaltic Pavement-Type D Compacted Depth)	2 (2"				
		_Dollars				
	and	Cents	SY	1500	\$	\$
6 w	(205) Hot Mix Asphaltic Pavement-Type C Compacted Depth)	(3"				
		_Dollars				
	and	Cents	SY	40	\$	\$
7 w	(206) Asphalt Treated Base (10" Compacted Depth)	d				
	Water the second	_Dollars	SY	1200	\$	\$
	and	Cents	51	1200	Ψ	ψ
8 w	(206) Asphalt Treated Base (4" Compacted	depth)				
	- WALL	Dollars				
	and	Cents	SY	50	\$	\$
9 w	(208) Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (2")					
		_Dollars				
	and	Cents	SY	60	\$	\$
10 w	(208) Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (3")					
		_Dollars				
	and	Cents	SY	40	\$	\$

Item No. 11 w	Specification No. & Description (Unit Price to be written in words) (413) Flowable Fill		Unit	Quantity	Unit Price	Total Price
	Dol	lars				
	andCo	ents	CY	200	\$	\$
12 w	(500) Concrete Curb, Gutter, and Concrete Curb and Gutter	)				
	Dol	lars				
	andCo	ents	LF	90	\$	\$
13 w	(502) Concrete Sidewalks					
	Dol	lars				
	andCe	ents	SY	24	\$	\$
14 w	(502) Concrete Wheelchair Ramp					
	Dol	lars				
	andCe	ents	SY	20	\$	\$
15 w	(503) Portland Cement Concrete Driveway					
	Dol	lars				
	andCe	ents	SY	24	\$	\$
16 w	(503) Portland Cement Concrete Driveway - Commercial					
	Dol	lars				
,	andCe	ents	SY	24	\$	\$
17 w	(505) Concrete Riprap (5" Thick)					
	Dol	lars				
	andCo	ents	SY	8	\$	\$
18 w	(506) Concrete Retaining Walls – Combination Type					
	Do1	lars				
	andCe	ents	CY	4	\$	\$

#### SAWS WATER JOB. NO. 14-5019/SAWS SEWER JOB NO. 14-5519 2014 WATER & SEWER CONSTRUCTION PACKAGE III

S	OL.	ICIT	CATIO	NC	#B-1	4-0	026-RA	
---	-----	------	-------	----	------	-----	--------	--

<b>No.</b> 19 w	(Unit Price to be written in words) (515) Topsoil	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	CY	20	\$	\$
20 w	(516) Bermuda Sodding				
	Dollars				
	andCents	SY	40	\$	\$
21 w	(516) St. Augustine Sodding				
	Dollars				
	andCents	SY	40	\$	\$
22 w	(550) Trench Protection				
	Dollars			,	
	andCents	LF	2700	\$	\$
23 w	(818) 6" PVC Waterline (Restrained) (0'-6' Cut)				
	Dollars				
	andCents	LF	150	\$	\$
24 w	(818) 6" PVC Waterline (Restrained) (6'-14' Cut)				
	Dollars				
	andCents	LF	30	\$	\$
25 w	(818) 8" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	1350	\$	\$
26 w	(818) 8" PVC Waterline (Restrained) (6'- 14' Cut)				
	Dollars				
	and Cents	LF	120	\$	\$
27 w	(818) 12" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	450	\$	\$

Item No. 28 w	Specification No. & Description (Unit Price to be written in words) (818) 12" PVC Waterline (Restrained) (6'- 14' Cut)	Unit	Quantity	Unit Price	Total Price
	Dollars	•			
	andCents	LF	120	\$	\$
29 w	(818) 16" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	240	\$	\$
30 w	(818) 16" PVC Waterline (Restrained) (6'- 14' Cut)				
	Dollars				
	andCents	LF	60	\$	\$
31 w	(818) 24" PVC Waterline (Restrained) (0'- 8' Cut)				
	Dollars				
	and Cents	LF	150	\$	\$
32 w	(818) 24" PVC Waterline (Restrained) (8'- 14' Cut)				
	Dollars				
	and Cents	LF	30	\$	\$
33 w	(818) 30" DI Waterline (Restrained) (0'- 9' Cut)  Dollars				
	and Cents	LF	100	\$	\$
34 w	(818) 30" DI Waterline (Restrained) (9'- 14' Cut)				
	Dollars				
	and Cents	LF	25	\$	\$
35 w	(822) Short Yard Piping				
	Dollars				
	andCents	LF	100	\$	\$

Item No.	Specification No. & Descripti (Unit Price to be written in wo		Unit	Quantity	Unit Price	Total Price
36 w	(822) Long Yard Piping					
		Dollars				
	and	Cents	LF	100	\$	\$
37 w	(824) Reconnect 3/4 " Short Service					
		Dollars				
	and	Cents	EA	4	\$	\$
38 w	(824) Reconnect ¾ "Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$
39 w	(824) Relay ¾" Short Service					
		Dollars				
	and	Cents	EA	40	\$	\$
40 w	(824) Relay ¾" Long Service					
		Dollars				
	and	Cents	EA	40	\$	\$
41 w	(824) Relay 1" Short Service					
		Dollars				
	and	Cents	EA	6	\$	\$
42 w	(824) Relay 1" Long Service					
		Dollars				
	and	Cents	EA	6	\$	\$
43 w	(824) Relay 1-1/2" Short Service					
		Dollars				
	and	Cents	EA	6	\$	\$

Item No.	Specification No. & Description (Unit Price to be written in word		Unit	Quantity	Unit Price	Total Price
44 w	(824) Relay 1-1/2" Long Service					
		Dollars				
	and	Cents	EA	6	\$	\$
45 w	(824) Relay 2" Short Service					
		Dollars				
	and	Cents	EA	4	\$	\$
46 w	(824) Relay 2" Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$
47 w	(824) New ¾" Short Service					
	la constante.	Dollars				
	and	Cents	EA	4	\$	\$
48 w	(824) New 3/4" Long Service	D-11				
	and	Dollars	EA	4	ф	\$
49 w	(824) New ¾" Short Unmetered Service	Cents	EA	4	\$	Φ
72 W		Dollars				
	and		EA	4	\$	\$
50 w	(824) New ¾" Long Unmetered Service			·	Ψ	Ψ
		Dollars				
	and	Cents	EA	4	\$	\$
51 w	(824) Relocate ¾" Short Service					
		Dollars				
	and	Cents	EA	4	\$	\$
52 w	(824) Relocate ¾" Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$

# SAWS WATER JOB. NO. 14-5019/SAWS SEWER JOB NO. 14-5519 2014 WATER & SEWER CONSTRUCTION PACKAGE III SOLICITATION #B-14-026-RA Item Specification No. & Description Unit Quantity

No. 53 w	Specification No. & Descrip (Unit Price to be written in w (824) Relocate 1" Short Service		Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	EA	4	\$	\$
54 w	(824) Relocate 1" Long Service	Dollars				
	and	Cents	EA	4	\$	\$
55 w	(824) Customer Shut-off Valve					
		Dollars				
	and	Cents	EA	4	\$	\$
56 w	(826) Valve Box Adjustment					
		Dollars				
	and	Cents	EA	4	\$	\$
57 w	(828) 6" Gate Valve	Dollars				
	and	Cents	EA	6	\$	\$
58 w	(828) 8" Gate Valve					
		Dollars				
	and	Cents	EA	10	\$	\$
59 w	(828) 12" Gate Valve					
		Dollars				
	and	Cents	EA	6	\$	\$
60 w	(828) 16" Gate Valve					
		Dollars				
	and	Cents	EA	3	\$	\$
61 w	(830) 24" Butterfly Valve					
		Dollars				
	and	Cents	EA	2	\$	\$

Item No. 62 w	Specification No. & Description (Unit Price to be written in words) (831) 6" x 6" Tee Cut-In	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	EA	2	\$	\$
63 w	(831) 8" x 6" Tee Cut-In				
	Dollars				
	andCents	EA	2	\$	\$
64 w	(831) 8" x 8" Tee Cut-In				
	Dollars				
	andCents	EA	2	\$	\$
65 w	(832) 12" x 8" Tapping Sleeve & Valve				
	Dollars				
	andCents	EA	2	\$	\$
56 w	(832) 16"x 8" Tapping Sleeve and Valve				
	Dollars				
	andCents	EA	2	\$	\$
57 w	(832) 30"x 16" Tapping Sleeve and Valve				
	Dollars				
	and Cents	EA	1	\$	\$
68 w	(833) Existing Meter & Meter Box Relocation				
	Dollars				
	and Cents	EA	15	\$	\$
69 w	(833) Existing Meter & New Meter Box Relocation				
	Dollars				
	and Cents	EA	15	\$	\$
70 w	(833) New Meter Box				
	Dollars				
	andCents	EA	15	\$	\$

No. 71 w	Specification No. & Descriptio (Unit Price to be written in word (834) Fire Hydrant		Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	EA	6	\$	\$
72 w	(836) Pipe Fittings, All Sizes & Types					
		Dollars				
	and	Cents	TN	3.75	\$	\$
73 w	(840) 6" Water Tie-Ins					
		Dollars				
	and	Cents	EA	6	\$	\$
74 w	(840) 8" Water Tie-Ins					
		Dollars				
	and	Cents	EA	6	\$	\$
75 w	(840) 12" Water Tie-Ins					
	**************************************	Dollars				
	and	Cents	EA	6	\$	\$
76 w	(840) 16" Water Tie-Ins					
		Dollars				
	and	Cents	EA	2	\$	\$
77 w	(840) 20" Water Tie-In					
		Dollars				
	and	Cents	EA	2	\$	\$
78 w	(840) 24" Water Tie-Ins					
		Dollars				
	and	Cents	EA	2	\$	\$
79 w	(840) 30" Water Tie-In					
		Dollars				
	and	Cents	EA	2	\$	\$

Item No. 80 w	Specification No. & Descript (Unit Price to be written in wo (841) Hydrostatic Testing		Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	EA	6	\$	\$
81 w	(844) 2" Blow-off, Temporary					
		Dollars				
	and	Cents	EA	6	\$	\$
82 w	(844) 2" Blow-off, Permanent					
		Dollars				
	and	Cents	EA	3	\$	\$
83 w	(844) 4" Blow-off Permanent					
		Dollars	ı			
	and	Cents	EA	2	\$	\$
84 w	(844) 4" Blow-off Temporary					
	No. No. of Sanata	Dollars				
	and	Cents	EA	2	\$	\$
85 w	(846) 1" Air Release Valve					
		Dollars				
	and	Cents	EA	3	\$	\$
86 w	(846) 2" Air Release Valve					
		Dollars				
	and	Cents	EA	2	\$	\$
87 w	(856) 18" Steel Casing (Open Cut)					
		Dollars				
	and	Cents	LF	30	\$	\$

Specification No. & Description (Unit Price to be written in word 24" Steel Casing (Open Cut)		Unit	Quantity	Unit Price	Total Price
	Dollars				
	Cents	LF	30	\$	\$
30" Steel Casing (Open Cut)					
	Dollars				
	Cents	LF	30	\$	\$
36" Steel Casing (Open Cut)					
	Dollars				
	Cents	LF	30	\$	\$
42" Steel Casing (Open Cut)					
	Dollars				
	Cents	LF	30	\$	\$
Jack, Boring and Tunneling 18" - 2 'depths)	4" Casing				
	Dollars				
	Cents	LF	30	\$	\$
Jack, Boring and Tunneling 18"- 24 or than 6' depths)	" Casing				
	Dollars				
	Cents	LF	30	\$	\$
Jack, Boring and Tunneling 30"- 42 depths)	"Casing				
	Dollars				
d	Cents	LF	30	\$	\$
Jack, Boring and Tunneling 30"- 42 er than 8' depths)	" Casing				
	Dollars				
d	Cents	LF	30	\$	\$
	(Unit Price to be written in word 24" Steel Casing (Open Cut)  30" Steel Casing (Open Cut)  36" Steel Casing (Open Cut)  42" Steel Casing (Open Cut)  Jack, Boring and Tunneling 18" - 2" depths)  Jack, Boring and Tunneling 18"- 24 er than 6" depths)  Jack, Boring and Tunneling 30"- 42" depths)  Jack, Boring and Tunneling 30"- 42" depths)	(Unit Price to be written in words) 24" Steel Casing (Open Cut)	(Unit Price to be written in words) 24" Steel Casing (Open Cut)	(Unit Price to be written in words) 24" Steel Casing (Open Cut)	Conting Price to be written in words  24" Steel Casing (Open Cut)    Dollars

Item No.	Specification No. & Description (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
96 w	(856) 6" Carrier Pipe				
	Dollars				
	andCents	LF	30	\$	\$
97 w	(856) 8" Carrier Pipe				
	Dollars				
	andCents	LF	30	\$	\$
98 w	(856) 12" Carrier Pipe				
	Dollars				
	andCents	LF	30	\$	\$
99 w	(856) 16" Carrier Pipe				
	Dollars				
	and Cents	LF	30	\$	\$
100 w	(856) 24" Carrier Pipe				
	Dollars				
	andCents	LF	30	\$	\$
101 w	(858) Concrete Encasement, Cradles, Saddles and Collars				
	Dollars				
	andCents	CY	10	\$	\$
102 w	(1020) Water Main Break/Leak Repairs (6"-12")				
	Dollars				
	andCents	EA	2	\$	\$
103 w	(1020) Water Main Break/Leak Repairs (16"-24")				
	Dollars				
	andCents	EA	2	\$	\$

<b>No.</b> 104 w	Specification No. & Descriptio (Unit Price to be written in work (3000) Removal, Transportation and Divarious sizes of A.C. Pipe	ds)	Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	LF	200	\$	\$
105 w	(3100) 16" Temporary Waterline, including tie-ins, service connections, and all appure to provide a temporary water main for was construction.	tenances				
	and	Cents	LF	100	\$	\$
106 w	(4000) Hydro Stop (30")			•		
		Dollars				
	and	Cents	EA	2	\$	\$
Alley 1 wa	Projects Water Bid Items (103) Remove Concrete Curb					
		Dollars				
	and	Cents	LF	40	\$	\$
2 wa	(103) Remove Sidewalks & Driveways					
	**************************************	Dollars				
	and	Cents	SF	40	\$	\$
3 wa	(103) Remove Miscellaneous Concrete					
		Dollars				
	and	Cents	SF	100	\$	\$
4 wa	(206) Asphalt Treated Base (4" compacted	depth)				
		Dollars				

Item No.	Specification No. & Description (Unit Price to be written in words	3)	Unit	Quantity	Unit Price	Total Price
	and	Cents	SY	50	\$	\$
5 wa	(413) Flowable Fill					
		_Dollars				
	and	Cents	CY	100	\$	\$
6 wa	(500) Concrete Curb, Gutter, and Concrete C Gutter	Curb and				
		_Dollars				
	and	Cents	LF	40	\$	\$
7 wa	(502) Concrete Sidewalks					
		_Dollars				
	and	Cents	SY	13	\$	\$
8 wa	(503) Portland Cement Concrete Driveway					
		_Dollars				
	and	Cents	SY	8	\$	\$
9 wa	(503) Portland Cement Concrete Driveway - Commercial					
		_Dollars				
	and	Cents	SY	13	\$	\$
10 wa	(515.1) Topsoil					
	Make Marining to the control of the	_Dollars				
	and	Cents	CY	10	\$	\$
11 wa	(516.1) Bermuda Sodding					
		_Dollars				
	and	Cents	SY	20	\$	\$
12 wa	(516.2) St. Augustine Sodding					
		_Dollars				
	and	Cents	SY	20	\$	\$

Item No.	Specification No. & Description (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
13 wa	(550) Trench Protection		•		
	Dollars				
	andCents	LF	1300	\$	\$
14 wa	(818) 6" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	100	\$	\$
15 wa	(818) 8" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	1000	\$	\$
16 wa	(818) 12" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	andCents	LF	100	\$	\$
17 wa	(818) 16" PVC Waterline (Restrained) (0'- 6' Cut)				
	Dollars				
	and Cents	LF	100	\$	\$
18 wa	(822) Short Yard Piping				
	Dollars				
	andCents	LF	50	\$	\$
19 wa	(822) Long Yard Piping				
	Dollars				
	andCents	LF	50	\$	\$
20 wa	(824) Relay ¾" Short Service				
	Dollars				
	andCents	EA	20	\$	\$
21 wa	(824) Relay ¾" Long Service				
	Dollars				
	andCents	EA	20	\$	\$

No. 22 wa	Specification No. & Description (Unit Price to be written in word (824) Relay 1" Short Service		Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	EA	4	\$	\$
23 wa	(824) Relay 1" Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$
24 wa	(824) Relay 1-1/2" Short Service					
		Dollars				
	and	Cents	EA	4	\$	\$
25 wa	(824) Relay 1-1/2" Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$
26 wa	(824) Relay 2" Short Service					
		Dollars				
	and	Cents	EA	4	\$	\$
27 wa	(824) Relay 2" Long Service					
		Dollars				
	and	Cents	EA	4	\$	\$
28 wa	(824) New ¾" Short Unmetered Service					
		Dollars				
	and	Cents	EA	4	\$	\$
29 wa	(824) New ¾" Long Unmetered Service					
		Dollars				
	and	Cents	EA	4	\$	\$

Item No.	Specification No. & Descripti (Unit Price to be written in wo		Unit	Quantity	Unit Price	Total Price
30 wa	(824) Relocate ¾ "Short Service					
		Dollars				
	and	Cents	EA	2	\$	\$
31 wa	(824) Relocate ¾" Long Service					
		Dollars				
	and	Cents	EA	2	\$	\$
32 wa	(824) Relocate 1" Short Service					
	And the same of th	Dollars				
	and	Cents	EA	2	\$	\$
33 wa	(824) Relocate 1" Long Service					
		Dollars				
	and		EA	2	\$	\$
34 wa	(824) Customer Shut-off Valve			_		*
		Dollars				
	and	Cents	EA	3	\$	\$
35 wa	(826) Valve Box Adjustment					
		Dollars				
	and	Cents	EA	3	\$	\$
36 wa	(828) 6" Gate Valve					
		Dollars				
	and	Cents	EA	4	\$	\$
37 wa	(828) 8" Gate Valve					
	A	Dollars				
	and	Cents	EA	10	\$	\$
38 wa	(828) 12" Gate Valve					
		Dollars				
	and	Cents	EA	2	\$	\$

No. 39 wa	Specification No. & Description (Unit Price to be written in words) (828) 16" Gate Valve	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	EA	2	\$	\$
40 wa	(831) 6" X 6" Tee Cut-In				
	Dollars				
	andCents	EA	2	\$	\$
41 wa	(831) 8" X 6" Tee Cut-In				
	Dollars				
	andCents	EA	2	\$	\$
42 wa	(831) 8" X 8" Tee Cut-In				
	Dollars				
	andCents	EA	2	\$	\$
43 wa	(832) 12" X 8" Tapping Sleeve & Valve				
	Dollars				
	andCents	EA	1	\$	\$
44 wa	(832) 16" X 8" Tapping Sleeve & ValveDollars				
	andCents	EA	1	\$	\$
45 wa	(833) Existing Meter & Meter Box Relocation				
	Dollars				
	andCents	EA	10	\$	\$
46 wa	(833) Existing Meter & New Meter Box Relocation				
	Dollars				
	andCents	EA	10	\$	\$
47 wa	(833) New Meter Box				
	Dollars				
	andCents	EA	10	\$	\$

Item No.	Specification No. & Description (Unit Price to be written in wor		Unit	Quantity	Unit Price	Total Price
48 wa	(834) Fire Hydrant					
		Dollars				
	and	Cents	EA	1	\$	\$
49 wa	(836) Pipe Fittings, All Sizes & Types					
		Dollars				
	and	Cents	TN	2.0	\$	\$
50 wa	(840) 6" Water Tie-Ins					
		Dollars				
	and	Cents	EA	5	\$	\$
51 wa	(840) 8" Water Tie-Ins					
		Dollars				
	and	Cents	EA	2	\$	\$
52 wa	(840) 12" Water Tie-Ins					
		Dollars				
	and	Cents	EA	1	\$	\$
53 wa	(840) 16" Water Tie-Ins					
		Dollars				
	and	Cents	EA	1	\$	\$
54 wa	(841) Hydrostatic Testing					
		Dollars				
	and	Cents	EA	5	\$	\$
55 wa	(844) 2" Blow-off, Temporary					
	e, d. t. M.	Dollars				
	and	Cents	EA	5	\$	\$

No. 56 wa	Specification No. & Descrip (Unit Price to be written in w (844) 2" Blow-off, Permanent		Unit	Quantity	Unit Price	Total Price
		Dollars				
	and	Cents	EA	1	\$	\$
57 wa	(846) 1" Air Release Valve					
		Dollars				
	and	Cents	EA	1	\$	\$
58 wa	(856) 18" Steel Casing (Open Cut)					
		Dollars				
	and	Cents	LF	30	\$	\$
59 wa	(856) 24" Steel Casing (Open Cut)					
		Dollars				
	and	Cents	LF	30	\$	\$
60 wa	(856) 6" Carrier Pipe					
	- AND	Dollars				
	and	Cents	LF	10	\$	\$
61 wa	(856) 8" Carrier Pipe					
		Dollars				
	and	Cents	LF	60	\$	\$
62 wa	(856) 12" Carrier Pipe					
		Dollars				
	and	Cents	LF	10	\$	\$
63 wa	(856) 16" Carrier Pipe					
		Dollars				
	and	Cents	LF	10	\$	\$

## SAWS WATER JOB. NO. 14-5019/SAWS SEWER JOB NO. 14-5519 2014 WATER & SEWER CONSTRUCTION PACKAGE III SOLICITATION #B-14-026-RA Item Specification No. & Description Unit Quantity

No. 64 wa	(Unit Price to be written in words) (858) Concrete Encasement, Cradles, Saddles at Collars	nd	Unit	Quantity	Unit Price	Total Price
		ollars				
	and	Cents	CY	8	\$	\$
65 wa	(1020) Water Main Break/Leak Repairs (6"-16"	")				
	D	ollars				
	and	Cents	EA	1	\$	\$
66 wa	(3000) Removal, Transportation and Dispos various sizes of A.C. Pipe	sal of				
	D	ollars				•
	and	Cents	LF	300	\$	\$
67 wa	(3100) 4" Temporary Waterline, including fittin tie-ins, service connections, and all appurtenanc provide a temporary water main for water main construction					
	D	ollars				
	and	Cents	LF	600	\$	\$
68 wa	(3100) 6" Temporary Waterline, including fittin tie-ins, service connections, and all appurtenanc provide a temporary water main for water main construction	gs, es to				
	D	ollars				
	and	Cents	LF	600	\$	\$
SUBT	'OTAL "B" SAWS JOB NO. 14-5019 (A	LLEY	WATEI	R):	\$	
	'OTAL "A" AND "B" SAWS JOB NO. 1 IERAL AND ALLEY WATER):	4-5019	•	\$		
<u>Gene</u>	ral Sanitary Sewer Bid Items					
1 s	(103) Remove Concrete Curb					
	D	ollars				
	and	Cents	LF	40	\$	\$

No.	Specification No. & Description (Unit Price to be written in words	s)	Unit	Quantity	Unit Price	Total Price
2 s	(103) Remove Sidewalks & Driveways					
		_Dollars				
	and	Cents	SF	40	\$	\$
3 s	(103) Remove Miscellaneous Concrete					
		_Dollars				
	and	Cents	SF	15	\$	\$
4 s	(203) Tack Coat					
		_Dollars				
	and	Cents	GA	10	\$	\$
5 s	(205) Hot Mix Asphaltic Pavement-Type D (Compacted Depth)	(2"				
		_Dollars				
	and	Cents	SY	500	\$	\$
6 s	(205) Hot Mix Asphaltic Pavement-Type C (Compacted Depth)	3"				
		_Dollars				
	and	Cents	SY	20	\$	\$
7 s	(206) Asphalt Treated Base (10" Compacted	Depth)				
		_Dollars				
	and	Cents	SY	435	\$	\$
8 s	(206) Asphalt Treated Base (4" Compacted of	lepth)				
		_Dollars				
	and	Cents	SY	50	\$	\$
9 s	(208) Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (2")					
		_Dollars				
	and	Cents	SY	20	\$	\$

Item No.	Specification No. & Description (Unit Price to be written in words	)	Unit	Quantity	Unit Price	Total Price
10 s	(208) Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (3")					
		_Dollars				
	and	Cents	SY	10	\$	\$
11 s	(413) Flowable Fill					
		_Dollars				
	and	Cents	CY	40	\$	\$
12 s	(500) Concrete Curb, Gutter, and Concrete C Gutter	urb and				
		_Dollars				
	and	Cents	LF	40	\$	\$
13 s	(502) Concrete Sidewalks					
		_Dollars				
	and	Cents	SY	13	\$	\$
14 s	(502) Concrete Wheelchair Ramp					
		_Dollars				
	and	Cents	SY	10	\$	\$
15 s	(503) Portland Cement Concrete Driveway					
		_Dollars				
	and	Cents	SY	8	\$	\$
16 s	(503) Portland Cement Concrete Driveway- Commercial					
		_Dollars		•		
	and	Cents	SY	8	\$	\$
17 s	(505) Concrete Riprap (5" Thick)					
		_Dollars				
	and	Cents	SY	5	\$	\$

Specification No. & Description (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
(506) Concrete Retaining Walls – Combination Type				
Dollars	}			
andCents	CY	5	\$	\$
(515) Topsoil			T	· -
Dollars	1			
andCents	CY	10	\$	\$
(516) Bermuda Sodding				
Dollars				
andCents	SY	20	\$	\$
(516) St. Augustine Sodding				
Dollars				
andCents	SY	20	\$	\$
(550) Trench Protection				
Dollars				
andCents	LF	1000	\$	\$
(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)				
Dollars				
andCents	LF	400	\$	\$
(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6'-14' Cut)				
Dollars				
andCents	LF	100	\$	\$
(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14'- 22' Cut)				
Dollars	<b>.</b>			
andCents	LF	20	\$	\$

Specification No. & Description (Unit Price to be written in words) (848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)	Unit	Quantity	Unit Price	Total Price
Dollars				
andCents	LF	50	\$	\$
(848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6' - 14' Cut)				
Dollars				
andCents	LF	30	\$	\$
(848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14' - 22' Cut)				
Dollars				
andCents	LF	20	\$	\$
(848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)				
Dollars				
andCents	LF	100	\$	\$
(848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6'- 14' Cut)				
Dollars				
andCents	LF	50	\$	\$
(848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14' - 22' Cut)				
Dollars				
andCents	LF	30	\$	\$
(848) 15" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0' – 6' Cut)				
Dollars				
andCents	LF	50	\$	\$
	(848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)	(Unit Price to be written in words) (848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)	(Unit Price to be written in words) (848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)	(Unit Price to be written in words) (848) 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0" - 6" Cut)  Dollars  and

Item No. 33 s	Specification No. & Description (Unit Price to be written in words) (848) 15" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6' - 14' Cut)	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	LF	30	\$	\$
34 s	(848) 15" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14' - 22' Cut)				
	Dollars				
	andCents	LF	30	\$	\$
35 s	(848) 24" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0' - 6' Cut)				
	Dollars				
	andCents	LF	30	\$	\$
36 s	(848) 24" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6' - 14' Cut)				
	Dollars				
	and Cents	LF	30	\$	\$
37 s	(848) 24" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14' - 22' Cut)				
	Dollars				
	and Cents	LF	30	\$	\$
38 s	(850) Sanitary Sewer Manhole Structure				-
	Dollars				
	and Cents	EA	1	\$	\$
39 s	(850) Sanitary Sewer Doghouse Manhole		_	* PROTECTION AND THE PROTECTION	·
2	·				
	Dollars				
	andCents	EA	1	·\$	\$

Item No.	Specification No. & Description (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
40 s	(851) Adjust Existing Manhole (Watertight Ring and Cover)				
	Dollars	S			
	andCents	s EA	2	\$	\$
41 s	(852) Sanitary Sewer Manhole (0'-6')				
	Dollars	S			
	andCents	s EA	5	\$	\$
42 s	(852) Sanitary Sewer Drop Manhole (0'-6')				
	Dollars	3			
	andCents	EA	2	\$	\$
43 s	(852) Extra Depth Manholes (greater than 6')				
	Dollars	<b>;</b>			
	andCents	VF	6	\$	\$
44 s	(854) Sanitary Sewer Laterals, (SDR 26, ASTM 2241, 160 psi)				
	Dollars	1			
	andCents	LF	350	\$	\$
45 s	(854) Two-Way Sanitary Sewer Clean-out				
	Dollars	1			
	andCents	EA	15	\$	\$
46 s	(855) Reconstruction of Existing Manhole				
	Dollars	1			
	andCents	EA	2	\$	\$
47 s	(856) 18" Steel Casing (Open Cut)				
	Dollars	i			
	andCents	LF	10	\$	\$
48 s	(856) 24" Steel Casing (Open Cut)				
	Dollars	1			
	andCents	LF	10	\$	\$

No. 49 s	Specification No. & Description (Unit Price to be written in words) (856) 30" Steel Casing (Open Cut)	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	LF	10	\$	\$
50 s	(856) 36" Steel Casing (Open Cut)				
	Dollars				
	andCents	LF	10	\$	\$
51 s	(856) 42" Steel Casing (Open Cut)				
	Dollars				
	andCents	LF	10	\$	\$
52 s	(856) Jack, Boring, and Tunneling 18" - 24" Casing (0' - 6' Depths)				
	Dollars				
	andCents	LF	10	\$	\$
53 s	(856) Jack, Boring and Tunneling 18" - 24" Casing (greater than 6' Depths)				
	Dollars				
	andCents	LF	10	\$	\$
54 s	(856) Jack, Boring and Tunneling 30" - 42" Casing (0'-8' Depths)				
	Dollars				
	and Cents	LF	10	\$	\$
55 s	(856) Jack, Boring and Tunneling 30" - 42" Casing (greater than 8' Depths)				
	Dollars				
	andCents	LF	10	\$	\$
56 s	(856) 8" Carrier Pipe				
	Dollars				
	andCents	LF	10	\$	\$

Item No. 57 s	Specification No. & Description (Unit Price to be written in words) (856) 10" Carrier Pipe	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	LF	10	\$	\$
58 s	(856) 12" Carrier Pipe				
	Dollars				
	andCents	LF	10	\$	\$
59 s	(856) 15" Carrier Pipe				
	Dollars				
	andCents	LF	10	\$	\$
60 s	(856) 24" Carrier Pipe				
	Dollars				
	andCents	LF	10	\$	\$
61 s	(858) Concrete Encasement, Cradles, Saddles and Collars				
	Dollars				
	andCents	CY	8	\$ <u>.</u>	\$
62 s	(860) Vertical Stacks				
	Dollars				
	andCents	VF	5	\$	\$
63 s	(862) Abandonment of Sanitary Sewer Main (12" or greater)				
	Dollars				
	andCents	LF	100	\$	\$
64 s	(864) Bypass Pumping (8"-12"), per each work order				
	Dollars				
	andCents	EA	3	\$	\$

em o. s	Specification No. & Description (Unit Price to be written in words) (864) Bypass Pumping (15"-24"), per each work order	Unit	Quantity	Unit Price	Total Pric
	Dollars				
	andCents	EA	2	\$	\$
s	(866) Pre Sewer Main Television Inspection (8"-24")				
	Dollars				
	andCents	LF	1000	\$	\$
s	(866) Post Sewer Main Television Inspection (8"-24")				
	Dollars				
	andCents	LF	1000	\$	\$
S	(3300) Sanitary Sewer Private Laterals (4"- 6") (including COSA permit and licensed plumber)				
	Dollars				
	andCents	LF	20	\$	\$
S	(3400.1) Manhole Rehabilitation (Structural Cementuous Lining)				
	Dollars				
	andCents	VF	10	\$	\$
S	(3400.2) Manhole Rehabilitation (Non-Structural High Sulfate Lining)				
	Dollars				
	andCents	VF	10	\$	\$
s	(3400.3) Manhole Rehabilitation (Structural High Sulfate Lining)				
	Dollars				
	and Cents	VF	10	\$	\$

Item No. <u>Alley</u>	Specification No. & Description (Unit Price to be written in words) Projects Sanitary Sewer Bid Items	Unit	Quantity	Unit Price	Total Price
Item No	Specification No. & Description (Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
1 sa	(103) Remove Concrete Curb				
	Dollars				
	andCents	LF	40	\$	\$
2 sa	(103) Remove Sidewalks & Driveways				
	Dollars				
	andCents	SF	40	\$	\$
3 sa	(103) Remove Miscellaneous Concrete				
	Dollars				
	and Cents	SF	15	\$	\$
4 sa	(206) Asphalt Treated Base (4" compacted depth)				*
. 54	Deflare				
	and Cents	SY	50	\$	\$
~		51	30	Φ	Φ
5 sa	(413) Flowable Fill				
	Dollars				
	andCents	CY	20	\$	\$
6 sa	(500) Concrete Curb, Gutter, and Concrete Curb and Gutter				
	Dollars				
	andCents	LF	40	\$	\$
7 sa	(502) Concrete Sidewalks				
	Dollars				
	andCents	SY	13	\$	\$

No. 8 sa	Specification No. & Description (Unit Price to be written in words) (503) Portland Cement Concrete Driveway	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	SY	8	\$	\$
9 sa	(515) Topsoil				
	Dollars				
	andCents	CY	10	\$	\$
10 sa	(516) Bermuda Sodding				
	Dollars				
	andCents	SY	20	\$	\$
11 sa	(516) St. Augustine Sodding				
	Dollars				
	andCents	SY	20	\$	\$
12 sa	(550) Trench Protection				
	Dollars				
	andCents	LF	1500	\$	\$
13 sa	(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)				
	Dollars				
	andCents	LF	900	\$	\$
14 sa	(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6'- 14' Cut)				
	Dollars				
	andCents	LF	250	\$	\$
15 sa	(848) 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14'-22' Cut)				
	Dollars				
	andCents	LF	100	\$	\$

Item No. 16 sa	Specification No. & Description (Unit Price to be written in words) (848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034. 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut)  Dollars	Unit	Quantity	Unit Price	Total Price
	and Dollars	LF	150	\$	\$
17 sa	(848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034. 115 psi or SDR 26-2241, 160 psi), (6'- 14' Cut)  Dollars	LI	130	Φ	Φ
	and Cents	LF	50	\$	\$
18 sa	(848) 12" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14'-22' Cut)  Dollars			*	<u> </u>
	and Cents	LF	50	\$	\$
19 sa	(851) Adjust Existing Manhole (Watertight Ring and Cover)			¥	Ψ
	Dollars				
	andCents	EA	2	\$	\$
20 sa	(852) Sanitary Sewer Manhole (0'-6')				
	Dollars				
	andCents	EA	5	\$	\$
21 sa	(852) Sanitary Sewer Drop Manhole (0'-6')				
	Dollars				
	andCents	EA	2	\$	\$
22 sa	(852) Extra Depth Manholes (greater than 6')				
	Dollars				
	andCents	VF	6	\$	\$
23 sa	(854) Sanitary Sewer Laterals (SDR 26, ASTM 2241, 160 psi)				
	Dollars				
	andCents	LF	400	\$	\$

# SAWS WATER JOB. NO. 14-5019/SAWS SEWER JOB NO. 14-5519 2014 WATER & SEWER CONSTRUCTION PACKAGE III SOLICITATION #B-14-026-RA Item Specification No. & Description Unit Quantity

No.	(Unit Price to be written in words)	Unit	Quantity	Unit Price	Total Price
24 sa	(854) Two-Way Sanitary Sewer Clean-out				
	Dolla	ırs			
	andCer	nts EA	25	\$	\$
25 sa	(855) Reconstruction of Existing Manhole				
	Dolla	rs			
	andCen	its EA	2	\$	\$
26 sa	(856) 18" Steel Casing (Open Cut)				
	Dolla	rs			
	andCen	ts LF	10	\$	\$
27 sa	(856) 24" Steel Casing (Open Cut)				
	Dolla	rs			
	andCen	ts LF	10	\$	\$
28 sa	(856) 8" Carrier Pipe				
	Dolla	rs			
	andCen	ts LF	10	\$	\$
29 sa	(856) 12" Carrier Pipe				
	Dolla	rs			
	andCen	ts LF	10	\$	\$
30 sa	(858) Concrete Encasement, Cradles, Saddles and Collars				
	Dolla	rs			
	andCen	ts CY	8	\$	\$
31 sa	(860) Vertical Stacks				
	Dolla	rs			
	andCen	ts VF	5	\$	\$

No. 32 sa	Specification No. & Description (Unit Price to be written in words) (864) Bypass Pumping (8"-12"), per each work order	Unit	Quantity	Unit Price	Total Price
	Dollars				
	andCents	EA	3	\$	\$
33 sa	(866) Pre Sewer Main Television Inspection (8"-12")Dollars				
	andCents	LF	1500	\$	\$
34 sa	(866) Post Sewer Main Television Inspection (8"-12")				
	Dollars				
	andCents	LF	1500	\$	\$
35 sa	(3300) Sanitary Sewer Private Laterals (4"- 6") (including COSA permit and licensed plumber)				
	Dollars				
	andCent	LF	20	\$	\$
36 s	(3400.1) Manhole Rehabilitation (Structural Cementuous Lining)				
	Dollars				
	andCents	VF	10	\$	\$
37 s	(3400.2) Manhole Rehabilitation (Non-Structural High Sulfate Lining)				
	Dollars				
	andCents	VF	10	\$	\$
38 s	(3400.3) Manhole Rehabilitation (Structural High Sulfate Lining)				
	Dollars				
	and Cents	VF	10	\$	\$
SUBT	OTAL "D" SAWS JOB NO. 14-5519 (ALLEY	SEWFI	3.)∙	\$	

SUBTOTAL "C" AND "D" SAWS (GENERAL AND ALLEY SEWER					
	Bid Summary				
SUBTOTAL "A" SAWS JOB NO. 14-5019 (GENERAL WATER): \$					
SUBTOTAL "B" SAWS JOB NO. 14-5019 (ALLEY WATER): \$					
SUBTOTAL "C" SAWS JOB NO. 14-5519 (GENERAL SEWER): \$					
SUBTOTAL "D" SAWS JOB NO. 14-5519 (ALLEY SEWER): \$					
Insurance and Bond, Preparing R Handling, and Permitting will not be other bid items.	Right-of-Way, Mobilization, and paid as lump sum items, but inst	d Barricades, Signs, and Traffic ead shall be included in the cost of			
TOTAL BID AMOUNT	\$				
		DOLLARS AND			
	CENTS				
	BIDDERS SIGNATURE & TI	TLE			
FIRM'S NAME (TYPE OR PRINT)					
	FIRM'S ADDRESS				
	FIRM'S PHONE NUMBER/F.	AX NUMBER			
	FIRM'S EMAIL ADDRESS				
The Contractor herein acknowledges Addendum Nos.	receipt of the following:				

OWNER RESERVES THE RIGHT TO ACCEPT THE OVERALL MOST RESPONSIBLE BID.

The bidder offers to construct the Project in accordance with the Contract Documents for the contract price, and to complete the Project within 730 calendar days or until funds are exhausted, whichever comes first, from issuance of the Authorization to Proceed. The bidder understands and accepts the provisions of the contract Documents relating to liquidated damages of the project if not completed on time. Complete the additional requirements of the Bid Proposal which are included on the following pages.

#### PROPOSAL CERTIFICATION

which amount represents five percents (5%) of the toproposal is accepted and the bidder fails to execute Contract, in which case the check shall become the payment for damages due to delay and other inconvergence.	ded or Cashier's Check on a State or National Bank payable to the Order of dollars (\$
and award of the contract to the undersigned by the Contract Documents and make Performance and Padays after the award of the Contract to secure property.	sal within sixty (60) calendar days after the bid opening. Upon acceptance Owner, the undersigned shall execute standard San Antonio Water System yment Bonds for the full amount of the contract within ten (10) calendar compliance with the terms and provisions of the contract, to insure and cance, and the guarantee period stipulated, and to guarantee payment of all ished in the fulfillment of the contract.
It is anticipated that the SAWS will provide writter Contract.	Authorization to Proceed within thirty (30) days after the award of the
The Contractor hereby agrees to commence work undured under no circumstances shall the work commence Proceed.	der this Contract as noted on the SAWS written Authorization to Proceed prior to Contractor's receipt of SAWS issued, written Authorization to
The undersigned certifies that the bid prices contained and final.	d in the proposal have been carefully checked and are submitted as correc
In completing the work contained in this proposal discriminate on the grounds of race, color, religion, so implementation of these policies and practices.	old the undersigned certifies that bidder's practices and policies do not ex or national origin and that the bidder will affirmatively cooperate in the
Signed:	Firm Representative
	Firm Name
•	
	Address

Please return bidder's ch	neck to:			
			Firm Name	
			Address	
	State	ement of Bidder's Ex	perience	
bidder by providing a If completion of those sub contractors used a completed project is completed within the contractors experience reference water and set of sanitary sewer mait twenty four (24) inches twenty four (24) inches completed sewer project Data given must be cleated length of installed	sponsive Bid, the Bid minimum of three such projects included the projects and considered as a project contract time and in the if they will be part of wer projects that includes (open cut method) sewer main and 1,00 a water main. One of the cet must include a 24-incertain and comprehensived water/sanitary sewermining the responsi	secessfully completed was the assistance of sub conspecify if those same subset that did not involve neurred zero (0) owner of the crews doing the woulded new construction of with a minimum size of the successfully complete inch main.  The include specific project lines, and total contrible bidder will approved.	ter and sewer projects attractors, prime must also will be used on the the contractor default claims. The Bidder ork for the Prime Contractor replacement of a min of 8-inch sewer mains with eight (8) inches eleted projects for water amount, as present amount, as present attractions.	ace of being a responsible within the last five years. It submit the names of the is contract. A successfully sting on the contract, was is also to submit the subtractor. Contractors should nimum of 1,000 linear feet is and up to and including and up to and including atter and one successfully there and telephone number, ented below. San Antonio ow cost and on Bidder's
Project Name	Facility Owner (tel. #)	Length and Size of Mains Installed	Construction Completion Date	Contract Amount
			10.30084	
The signed Bidder E Proposal for the Bidde	xperience Form and r to be considered. O	any required suppleme wner reserves the right t	ntal information mus o request additional ir	st be submitted with this aformation.
Contractor				

2014 WATER & SEWER CONST SOLICITATION #B-14-026-RA	RUCTION PACKAGE III
Ву	-
Title	-
Date	-

SAWS WATER JOB. NO. 14-5019/SAWS SEWER JOB NO. 14-5519