Annual 2011Asphalt Overlay Work Order Construction Contract Job No. 11-0101 Solicitation No. B-11-006-RA

PROPOSAL

PROPOSA	AL OF		<u>,</u> a	corporation a
partnershi	p consisting of			
and an inc	lividual doing business as			
TO THE S	SAN ANTONIO WATER SYSTE	EM:		
materials, and requine Plans and Contract, unspecifica and the que by SAWS	to Instruction and Invitations to Barand equipment as specified and red appurtenances for the San Anti-Specifications for the Annual 201 Job No. 11-0101. The undersigned at the time of bidding, all quantitatives herein to establish a unit on an annual basis. No change in the item of work performed. The	equired to perform onio Water Syste I Asphalt Overlad d acknowledges a ities are estimated price for various the unit price wi	m street maintenance m (SAWS) in according Work Order Control and understands that d, and it is the inter- line items to be paid ll be made, regardle	ce construction rdance with the astruction at all projects are not of this proposal d the Contractor less of the actual
Item No.	Description & Estimated Qu (Unit Price to be written in v		Unit Price (Figures)	Total Price (Figures)
100.1	8 EA – Emergency Mobiliza per Each	ation (24-Hour Re	sponse);	
_		Dollars	\$	\$
-		Cents		
100.2	600 EA – Small Project Mob per Each	oilization (900SF	or less);	
_		Dollars	\$	\$
_		Cents		
104	450 C.Y. –Excavation; per Cubic Yard			
-		Dollars	\$	
_		Cents		

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Price (Figures)
200	450 C.Y. – Flexible Base (Compacted in place per Cubic Yard	re);	
_	Dollars	\$	\$
_	Cents		
202.1	600 GAL. – Prime Coat; per Gallon		
_	Dollars	\$	\$
_	Cents		
203.1	8,250 GAL. – Tack Coat; per Gallon		
_	Dollars	\$	\$
_	Cents		
204.1	82,500 S.Y. – One Course Surface Treatment per Square Yard	;	
_	Dollars	\$	\$
_	Cents		
205.3A	750 S.Y. – Hot Mix Asphaltic Pavement Typ per Square Yard	e "C" (1" Compac	ted Depth);
_	Dollars	\$	\$
<u>-</u>	Cents		
205.3B	750 S.Y. – Hot Mix Asphaltic Pavement Typ per Square Yard	e "C" (2" Compac	ted Depth);
_	Dollars	\$	\$
_	Cents		

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Total Price (Figures)
205.3C	750 S.Y. – Hot Mix Asphaltic Pavement Typer Square Yard	pe "C" (3" Compac	eted Depth);
-	Dollars	\$	\$
-	Cents		
205.4	82,500 S.Y. – Hot Mix Asphaltic Pavement per Square Yard	Type "D" (2" Com	pacted Depth)
-	Dollars	\$	\$
-	Cents		
206	450 C.Y. – Asphalt Treated Base (Compacte per Cubic Yard	ed in place);	
-	Dollars	\$	\$
-	Cents		
207.1	1,800 S.Y. – Single Course Bituminous Slur per Square Yard	rry Seal;	
-	Dollars	\$	\$
-	Cents		
208.2	5,250 C.Y. – Milling of Asphaltic Concrete (Salvaging, Hauling, and Stockpiling Reclai per Cubic Yard		vements);
-	Dollars	\$	\$
-	Cents		
257.1	750 S.Y. – Replacing Base and Pavem Pavement (2" HMAC over 6" ATB); per Square Yard	ent with Asphalt	Treated Base and
-	Dollars	\$	\$\$
_	Cents		

		Unit	Total	
Item	Description & Estimated Quantities	Price	Price	
No.	(Unit Price to be written in words)	(Figures)	(Figures)	
257.2	1,635 S.Y. – Replacing Base and Pavement Pavement (2" HMAC over 8" ATB); per Square Yard	with Asphalt	Treated Base	and
_	<u>Dollars</u>	\$	\$\$	
-	Cents			
257.3	2,550 S.Y. – Replacing Base and Pavement Pavement (3" HMAC over 10" ATB); per Square Yard	with Asphalt	Treated Base	and
_	Dollars	\$	<u> </u>	
-	Cents			
530.1	765 EA. – Barricades, Signs, and Traffic Handl per Each	ing;		
_	Dollars	\$	\$\$	
-	Cents			
530.2	60 HR – Police Officer (Maximum Bid of \$45.0 per Hour	00 per HR);		
_	Dollars	\$	\$\$	
-	Cents			
535.01	13,050 L.F. – Hot Applied Thermoplastic Pave (4" Wide Yellow Line); per Linear Foot	ment Markings		
-	Dollars	\$	\$\$	
_	Cents			

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Total Price (Figures)
535.02	3,600 L.F. – Hot Applied Thermoplastic Pave (4" Wide White Line); per Linear Foot	ement Markings	
<u>-</u>	Dollars	\$	\$\$
-	Cents		
535.03	150 L.F. – Hot Applied Thermoplastic Paven (8" Wide Yellow Line); per Linear Foot	nent Markings	
_	Dollars	\$	\$
-	Cents		
535.04	150 L. F. – Hot Applied Thermoplastic Paver (8"-Wide White Line); per Linear Foot	ment Markings	
_	Dollars	\$	\$\$
-	Cents		
535.05	150 L.F. – Hot Applied Thermoplastic Paven (12" Wide White Line); per Linear Foot	nent Markings	
-	Dollars	\$	\$
-	Cents		
535.06	75 L.F. – Hot Applied Thermoplastic Paveme (16" Wide White Line); per Linear Foot	ent Markings	
_	Dollars	\$	\$\$
<u>-</u>	Cents		

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Total Price (Figures)
535.07	1,500 L.F. – Hot Applied Thermoplastic Par (24" Wide White Line); per Linear Foot	vement Markings	
-	Dollars	\$	\$
-	Cents		
535.08	3 EA. – Hot Applied Thermoplastic Paveme (Right White Arrow); per Each	ent Markings	
-	Dollars	\$	\$\$
-	Cents		
535.09	6 EA. – Hot Applied Thermoplastic Paveme (Left White Arrow); per Each	ent Markings	
	Dollars	\$	\$
-	Cents		
535.10	3 EA. – Hot Applied Thermoplastic Paveme (Comb. Thru Right White Arrow); per Each		
-	Dollars	\$	<u> \$ </u>
-	Cents		
535.11	3 EA. – Hot Applied Thermoplastic Paveme (Comb. Thru Left White Arrow); per Each	ent Markings	
-	Dollars	\$	\$
<u>-</u>	Cents		

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Total Price (Figures)
535.12	5 EA. – Hot Applied Thermoplastic Pavemen (Word "ONLY"); per Each	t Markings	
_	Dollars	\$	\$
-	<u>Cents</u>		
535.13	3 EA. – Hot Applied Thermoplastic Pavemen (Straight White Arrow); per Each	t Markings	
_	Dollars	\$	\$
<u>-</u>	Cents		
535.15	2 EA. – Hot Applied Thermoplastic Pavemen (Wheelchair Sign); per Each	t Markings	
_	Dollars	\$	\$\$
-	Cents		
537	1050 EA. – Raised Pavement Markers (all typper Each	pes);	
_	Dollars	\$	\$
<u>-</u>	Cents		
688.1	750 LF. – Vehicle Loop Detectors (Saw Cut); per Linear Foot		
_	Dollars	\$	\$\$
-	Cents		
826	15 EA. – Valve Box Adjustment; per Each		
_	Dollars	\$	\$\$
_	Cents		

Item No.	Description & Estimated Quantities (Unit Price to be written in words)	Unit Price (Figures)	Price (Figures)
851	10 EA. – Adjust Existing Manholes; per Each		
-	Dollars	\$	\$\$
-	Cents		
1000	3,000 SY –Geogrid Reinforcement; per Square Yard		
-	Dollars	\$	\$\$
-	Cents		
1010	375 SF –Painting Concrete Curbs; per Square Foot		
-	Dollars	\$	\$\$
-	Cents		
3001.1	200 GAL – Utra-Thin Bonded Hot Mix We per Gallon	aring Course (Mem	abrane) (Type A);
-	Dollars	\$	\$\$
	Cents		
3001.2	2 TON – Utra-Thin Bonded Hot Mix Wo (Type A); per Ton	earing Course (As	phalt) (PG 64-22)
-	Dollars	\$	<u> \$ </u>
-	Cents		
3001.3	30 TON – Utra-Thin Bonded Hot Mix W (Type A); per Ton	earing Course (Ag	ggregate) (SAC A)
-	Dollars	\$	\$\$
-	Cents		

Item	Description & Estimated Quantities		Unit Price	Total Price
No.	(Unit Price to be written in words)		(Figures)	(Figures)
8970.1	3 EA. – VIVDS Processor System – per Each	1 channel	;	
-	Do	ollars_	\$	\$
-	C	<u>Cents</u>		
8970.1	3 EA. – VIVDS Processor System – per Each	2 channel	;	
-	Do	<u>ollars</u>	\$	\$\$
-	C	<u>Cents</u>		
8970.2	6 EA. – VIVDS Camera Assembly; per Each			
-	Do	<u>ollars</u>	\$	\$\$
-	C	<u>Cents</u>		
8970.3	6 EA. – VIVDS Set-up System; per Each			
-	Do	<u>ollars</u>	\$	\$
-	(<u>Cents</u>		
8970.4	750 LF – VIVDS Communication C per Linear Foot	Cable (Coa	xial);	
-	Do	<u>ollars</u>	\$	\$\$
_		<u>Cents</u>		

TOT	SAL BID \$
	DOLLARS AND
	CENTS
	·
	BIDDER'S SIGNATURE & TITLE
	FIRM'S NAME(TYPE OR PRINT)
	FIRM'S ADDRESS
	FIRM'S PHONE NO./FAX NO.
	FIRM'S EMAIL ADDRESS
The Control to a bound on the could be a second	nt of the fellowing.
The Contractor herein acknowledges recei Addendum Nos.	
OWNER RESERVES THE RIGHT TO BID.	ACCEPT THE OVERALL MOST RESPONSIBLE

The bidder offers to construct the Project in accordance with the Contract Documents for the contract price, and to complete the Project within 365 days from the notice to proceed date or until funds are exhausted from the contract, as set forth in the Authorization to Proceed. The bidder understands and accepts the provisions of the contract Documents relating to liquidated damages of the Project if not competed on time.

Special Items are included in the SPECIAL CONDITIONS.

Complete the additional requirements of the Proposal, which are included on the following pages.

PROPOSAL

the Order of the San Antonio Water Sys ($\$$), which amount repres is to be returned to the bidder unless the proposal within $\underline{10}$ calendar days after the award of the said San Antonio Water System, and shall be	ents five percent (5%) of the total bid price. Said bond or check l is accepted and the bidder fails to execute and file a contract e Contract, in which case the check shall become the property of considered as payment for damages due to delay and other er System due to the failure of the bidder to execute the contract
acceptance and award of the contract to the unders Antonio Water System Contract Documents and mocontract within $\underline{10}$ calendar days after the award oprovisions of the contract, to insure and guarantee the	oposal within 60 calendar days after the bid opening. Upon bigned by the Owner, the undersigned shall execute standard Sanake Performance and Payment Bonds for the full amount of the of the Contract to secure proper compliance with the terms and he work until final completion and acceptance, and the guarantee lawful claims for labor performed and materials furnished in the
It is anticipated that the Owner will provide written Contract.	n Authorization to Proceed within 30 days after the award of the
	under this Contract within seven (7) calendar days after issuance eed. Under no circumstances shall the work commence prior to prization to Proceed.
The undersigned certifies that the bid prices consubmitted as correct and final.	ntained in the proposal have been carefully checked and are
	the undersigned certifies that bidder's practices and policies do no on, sex or national origin and that the bidder will affirmatively and practices.
Signed:	Company Representative
	Company Representative
_	Company Name
_	
_	Address
Please return bidder's check to:	
_	Company Name
_	Address