

SAN ANTONIO WATER SYSTEM PURCHASING DEPARTMENT

Issued By: Rosie Baiza
BID NO.: 17-17045

Date Issued: May 30, 2017

**FORMAL INVITATION FOR BIDS
PURCHASE OF 19,000 GVWR 2-DOOR, REGULAR CAB CHASSIS 4X4 TRUCK WITH A
MOUNTED 16' VAN BODY WITH INSTALLED CLOSED CURCUIT TV INSPECTION SYSTEM
ADDENDUM 2**

Sealed bids addressed to the Purchasing Director, San Antonio Water System, 2800 US Hwy 281 North, Administration Bldg., 5th Floor, San Antonio, TX 78212 will be received until **3:00 p.m., June 1, 2017** and then publicly opened and read aloud for furnishing materials or services as described herein below,

The San Antonio Water System Purchasing Department is willing to assist any bidder(s) in the interpretation of bid provisions or explanation of how bid forms are to be completed. Assistance may be received by visiting the Purchasing Office in the SAWS Main Office, 2800 US Hwy 281 North, San Antonio, TX 78212, or by calling (210) 233-3819.

This invitation includes the following:

Invitation for Bids
Terms and Conditions of Invitation for Bids

Specifications and General Requirements
Price Schedule

The undersigned, by his/her signature, represents that he/she is authorized to bind the Bidder to fully comply with the Specifications and General Requirements for the amount(s) shown on the accompanying bid sheet(s). By signing below, Bidder has read the entire document and agreed to the terms therein.

Signer's Name: _____ Firm Name: _____
(Please Print or Type)

Address: _____

Signature of Person Authorized to Sign Bid _____ City, State, Zip Code: _____

Email Address: _____ Telephone No.: _____

Fax No.: _____

Please complete the following:

Prompt Payment Discount: _____% _____ days. (If no discount is offered, Net 30 will apply.)

Please check the following blanks which apply to your company:

Ownership of firm (51% or more):

Non-minority Hispanic African-American Other Minority (specify) _____

Female Owned Handicapped Owned Small Business (less than \$1 million annual receipts or 100 employees)

Indicate Status: Partnership Corporation Sole Proprietorship Other (specify) _____

Tax Identification Number: _____

To report suspected ethics violations impacting the San Antonio Water System, please call 1-800-687-1918.

******* This Addendum 1 is issued to make the following changes to Bid No. 17-17045:**

1. Item 1, Page 17. Section 2. Item a. specifications currently read:
The 16' Van body sides and roof to be smooth single sheet of aluminum inside and outside – 0.04” minimum thickness.

Revised to read:

The 16' Van body sides and roof shall be constructed of aluminum, FRP or a similar material inside and outside – 0.04” minimum thickness.

2. Item 6, Page 18. Section 6, Generator. specifications currently read:
The system shall include an on-board electrical power source rated for a minimum of 8.0kW alternating current output. The system shall be a diesel powered commercial mobile generator set, duty-rated for operating at a full 8-hour day minimum.

Revised to read:

The system shall include an on-board electrical power source rated for a minimum of 7.5kW alternating current output. The system shall be a diesel powered commercial mobile generator set, duty-rated for operating at a full 8-hour day minimum.

3. Item 7, Page 18. Section 6, Generator. Item f. specifications currently read:
120/240 VAC, capable of supplying a minimum 66.6 amp at 120/240V AC current at 2880 RPM without overheating, wear or vibration.

Revised to read:

120 VAC, capable of supplying a minimum 66.6 amp at 120V-AC current at 2,880 RPM without overheating, wear or vibration.

4. Item 2, Page 20. Section 5, Control Room. Item e. specifications currently read:
The floor shall be constructed of ½” minimum AC-rated plywood with water relief channels. The plywood shall then be covered with seamless industrial grade non-skid flooring.

Revised to read:

The floor shall be constructed of ½” minimum AC-rated plywood with water relief channels. The plywood shall then be covered with industrial grade non-skid flooring.

5. Item 3, Page 21. Section 5, Control Room. Item j, third bullet point. specifications currently read:
 - Minimum of Five (5) removable or adjustable height shelves, constructed from ¾” 7-ply Luan plywood, including ½”x2” oak trim at the front of each shelf.

Revised to read:

- Minimum of Five (5) removable or adjustable height shelves, constructed from ¾” 7-ply Luan plywood.

6. Item 4, Page 21. Section 5, Control Room. Item k. specifications currently read:
The room shall include a standard 19” EIA electronics rack for the secure mounting of the system’s electronic components. The rack shall be mounted above the window of the bulkhead wall, and include sufficient free space for future electronic upgrades to the system. All components shall have EMI/RFI noise filtering and surge protection.

Revised to read:

The room shall include a standard 19” EIA electronics rack for the secure mounting of the system’s electronic components. The rack shall be mounted in an area that shall maximize space and allow for easy accessibility and include sufficient free space for future electronic upgrades to the system. All components shall have EMI/RFI noise filtering and surge protection.

7. Item 5, Page 21. Section 5, Equipment Room. Item d. specifications currently read:
The floor shall be covered with aluminum tread plate flooring, with caulked protection at wall joints.

Revised to read:

The floor shall be covered with aluminum tread plate or similar type of flooring, with caulked protection at wall joints.

8. Item 8, Page 30 & 31, Section 6, Medium Tractor Accessories. Item b. specifications currently read:
- Rubberized Granulated Traction Wheel for 6-inch.
 - Medium Tractor Treaded Wheel 6 Inch Hard.
 - Treaded Wheel set for 6” pipe. (soft rubber)

Revised all to read:

- High Traction Tungsten carbide type wheels for 6-inch.
- Medium Tractor 6-inch Tungsten carbide type wheels.
- Tungsten carbide type wheels for 6” pipe.

IT IS NECESSARY TO RETURN THIS ADDENDUM 2 AS PART OF YOUR BID UBMISSION

All other terms and conditions of the original bid remain unchanged.