#### BID PROPOSAL

DID TROT		
PROPOSAL OF		0::
a Corporation organized and existing under the laws of th	ne State of	101,
a Partnership consisting of		<u> </u>
an Individual doing business as		
Enclosed with this bid are (1) Bid Bond, and (2) Statement	ent of Bidder's Experience	e, (3) Good Faith Effort
Plan and (4) Conflict of Interest Questionnaire in acc	ordance with the Instruct	ions to Bidders. It is
understood that all proposals submitted without these ite	ems and proper acknowle	lgement of all addenda
herein may be rejected.	. 0.	•
The duration of this Water & Sewer Construction Co		
exhausted from issuance of the Authorization to Proceed	ed. Schedules and durati	on for individual work
orders shall be established on a case by case basis.		
	0.7	
Quantities shown are approximate and the bid items list		
the contract. All items and quantities within the bid p		
SAWS to be used under this contract. Work order quant	ities will be provided whe	n each individual work
order is issued.		
TO THE SAN ANTONIO WATER SYSTEM:		
Pursuant to Instructions and Invitations to Bidders, the		
materials as specified, and perform the work required		
System Water Job Number 11-5018 and Sewer Job Num	ber 11-5518 in accordanc	e with the requirements
of all future work orders using the following unit prices t	o wit:	
DAGE BYD		
BASE BID:		
C 1W/ PILL		
General Water Bid Items	TI 1/ TO 1	m . 155 t
Item Spec. No, Description & Unit Price No. (Unit Price to be Written in Words)	Unit Price (Figures)	Total Price (Figures)
to. (Omt Tree to be written in words)	(Figures)	(Figures)
1 w (103) Approximately 30 L.F. – Remove Concrete Curb, per	•	
linear foot		
Dollars		
Donais		
andCents	\$	\$
O.		
2 w (103) Approximately 30 S.F. – Remove Sidewalks &		
Driveways, per square foot		
· · · · · · · · · · · · · · · · · · ·		
Dollars		

and \_\_\_\_\_Cents

Concrete, per square foo	t		
	Dollars		۲.
and	Cents	\$	\$
	7 S.Y. – Hot Mix Asphaltic ompacted Depth), per square yard		COL
	Dollars	. 0	
and	Cents	\$	\$
(206) Approximately 38. Compacted Depth), per	2 S.Y. – Asphalt Treated Base (10" square yard	0,0,0	
	Dollars	CO	
and	Cents	\$	\$
	S.Y. – Salvaging, Hauling, and Asphaltic Pavement (2°), per squa	re	
and	Cents	\$	\$
(413) Approximately 10	CY. – Flowable Fill, per cubic yard	d	
-0	Dollars		
and	Cents	\$	\$
(500) Approximately 30 Concrete Curb and Gutte	L.F. – Concrete Curb, Gutter, and er, per linear foot		
	Dollars		
and	Cents	\$	\$
(502) Approximately 8 S yard	S.Y. – Concrete Sidewalks, per squa	re	
	Dollars		
and	Cents	\$	\$

	Dollars		
and	Cents	\$	\$
(503) Approximately 8 S.Y. Driveway, per square yard	- Portland Cement Concrete		COL
	Dollars	. 0	
and	Cents	\$	\$
(503) Approximately 8 S.Y. Driveway - Commercial, per	– Portland Cement Concrete square yard	0.0.	
	Dollars	CC CC	
and	Cents	<b>\$</b>	\$
(505) Approximately 8 S.Y. per square yard	- Concrete Riprap (5" Thick),		
and	Dollars Cents	\$	\$
506) Approximately 4 C.Y. Combination Type, per cubic	– Concrete Retaining Walls –		
	Dollars		
and	Cents	\$	\$
511) Approximately 20 S.Y Asphaltic Concrete Pavemer Depth), per square yard	. – Replacing with Hot Mix at – Type B (3" Compacted		
	Dollars		
and	Cents	\$	\$
515) Approximately 10 C.Y	. – Topsoil, per cubic yard		
	Dollars		
and	Cents	\$	\$

	Dollars		
	Dollars		•
and	Cents	\$	\$ <u></u>
(550) Approximately 940 L. foot	F. – Trench Protection, per lin	ear	COL
	Dollars		C <sub>1</sub>
and	Cents	\$	\$
(818) Approximately 60 L.F (Restrained), per linear foot	F. – 6" PVC Waterline	0.010	•
	Dollars	CO	
and	Cents	\$	<b></b> \$
(818) Approximately 500 L. (Restrained), per linear foot		,	
and	Dollars Cents	\$	\$
(818) Approximately 300 L. (Restrained), per linear foot			
	Dollars		
and	Cents	\$	<b>\$</b>
(818) Approximately 80 L.F (Restrained), per linear foot	F. – 16" PVC Waterline		
	Dollars		
and	Cents	\$	\$
(824) Approximately 2 EA - per each	- Reconnect ¾ " Short Service	·,	
	Dollars		
and	Cents	\$	\$

each	A – Relay ¾" Short Service, per		
,	Dollars		
and	Cents	\$	\$
(824) Approximately 8 E	A – Relay ¾" Long Service, per	-	COLL
	Dollars	. 0	
and	Cents	\$	\$
(824) Approximately 2 E	A – Relay 1" Short Service, per ea	ch	
	Dollars	COX	
and	Cents	<b>S</b> *	\$
(824) Approximately 2 E	A – Relay 1" Long Service, per eac Dollars	ch	
and		\$	\$
(824) Approximately 2 E	A – Relay I-1/2" Short Service, pe	er	
	Dollars		
and	Cents	\$	\$
(824) Approximately 2 E	A – Relay 1-1/2" Long Service, pe	er e	
20.	Dollars		
and	Cents	\$	\$
(824) Approximately 2 E	A – Relay 2" Short Service, per ea	ch	
	Dollars		
and	Cents	<b>¢</b>	¢

31 w	(824) Approximately 2 EA – Relay 2	" Long Service, per ea	ach	
		Dollars		
	and	Cents	\$	\$
32 w	(824) Approximately 2 EA – New 3/4	'Short Service, per ea	ch	
		Dollars		CO.
	and	Cents	\$	\$
33 w	(824) Approximately 2 EA – New <sup>3</sup> / <sub>4</sub> '	'Long Service, per ea	ch	
		Dollars		
	and	Cents	S C Y	\$
34 w	(824) Approximately 2 EA – New ¾' Service, per each	Short Unmetered		
	and	Dollars	\$	\$
35 w	(824) Approximately 2 EA – New ¾ Service, per each	Long Unmetered		
		Dollars		
	and	Cents	\$	\$
36 w	(824) Approximately 2 EA – Relocate	e ¾" Short Service, pe	er	
	26,	Dollars		
_ <	and	Cents	\$	\$
37 w	(824) Approximately 2 EA – Relocate	e ¾" Long Service, pe	er	
		Dollars		
	and	Cents	\$	\$

each	-		
	Dollars		. 20
and	Cents	\$	\$
(824) Approximately 2 E	ZA – Relocate 1" Long Service, pe	r	COL
	Dollars		Q.
and	Cents	\$	\$
(824) Approximately 2 Feach	EA – Customer Shut-off Valve, per	6,0,0	
	Dollars	CO	
and	Cents	\$	\$
(826) Approximately 2 E	A – Valve Box Adjustment, per e	ach	
and	Cents	\$	<u> </u>
(828) Approximately 2 F	A – 6" Gate Valve, per each		
	Dollars		
and	Cents	\$	\$
(828) Approximately 3 E	2A – 8" Gate Valve, per each		
~ <sup>©</sup> \	Dollars		
and	Cents	\$	\$
(828) Approximately 2 F	A – 12" Gate Valve, per each		
	Dollars		
and	Cents	\$	\$

(828) Approximately I EA	- 16" Gate Valve, per each		
	Dollars		Š
and	Cents	\$	\$
(831) Approximately 1 EA	- 6" X 6" Tee Cut in, per each		(A).
	Dollars		CO,
and	Cents	\$	\$
(831) Approximately 1 EA	- 8" X 6" Tee Cut in, per each	301	
	Dollars	2.0.	
and	Cents	S	\$
(831) Approximately 1 EA	- 8" X 8" Tee Cut in, per each	CO	
	Dollars		
and	Cents	\$	\$
(832) Approximately 1 E. Valve, per each	A – 16" X 8" Tapping Sleeve	e &	
	Dollars		
and	Cents	\$	\$
(833) Approximately 5 EA Relocation, per each	– Existing Meter & Meter Box		
80.	Dollars		
and	Cents	\$	\$
(833) Approximately 5 EA Box Relocation, per each	– Existing Meter & New Meter		
	Dollars		
and	Cents	\$	\$

w (833) Approximately 5	EA – New Meter Box, per each		
	Dollars		, X
and	Cents	\$	\$
w (834) Approximately 2	EA – Fire Hydrant, per each		΄Α,
	Dollars		<sup>7</sup> 0,
and	Cents	\$	\$
w (836) Approximately 1 Types, per ton	.25 TON – Pipe Fittings, All Sizes &	*3101	
	Dollars	6.0	
and	Cents	\$	\$
w (840) Approximately 2	2 EA – 6" Water Tie-Ins, per each	Q	
	Dollars		
and	Cents	\$	\$
w (840) Approximately 2	2 EA – 8" Water Tie-Ins, per each		
and	Dollars Cents	\$	\$
w (840) Approximately 2	DEA 122 Wester Tie Ing. 1122 and		
w (840) Approximatery 2	2 EA – 12" Water Tie-Ins, per each		
and	Dollars Cents	\$	\$
		·	
(840) Approximately 1	EA – 16" Water Tie-Ins, per each		
	Dollars		
and	Cent	\$	\$
w (841) Approximately 2	2 EA – Hydrostatic Testing, per each		
	Dollars		
and	Cents	\$	\$

each			
	Dollars		. >
and	Cents	\$	\$
(844) Approximately 1 EA	x − 2" Blow-off, Permanent, per		COLL
	Dollars	. 0	
and	Cents	\$	\$
(846) Approximately 1 EA	∆ − 1" Air Release Valve, per eac	ch	
	Dollars	COX	
and	Cents	<b>C</b> \$	\$
(856) Approximately 20 L per linear foot	F – 18" Steel Casing (Open Cut)  Dollars	),	
and	Cents	\$	\$
(856) Approximately 20 L per linear foot	F – 24° Steel Casing (Open Cut)	),	
	Dollars		
and	Cents	\$	\$
(856) Approximately 20 L Casing, per linear foot	F – Jack, Boring and Tunneling	24"	
	Dollars		
and	Cents	\$	\$
(856) Approximately 20 L	F – 6" Carrier Pipe, per linear foo	ot	
	Dollars		
and	Cents	\$	\$

67 w	(856) App	proximately 20 LF – 8" Carrier Pipe,	per linear foot		
		D	ollars		
	and	C	ents	\$	\$
68 w	(856) App	proximately 20 LF – 12" Carrier Pipe	, per linear foot		
		D	ollars	<	,0,
	and	C	ents	\$	\$
69 w	(856) App	proximately 20 LF – 16" Carrier Pipe	, per linear foot	~ VO/	
		D	ollars		
	and	C	ents	\$ 2 7	\$
70 w	Disposal	pproximately 2 EA – Removal, Tra of A.C. Pipe, per each work order	nsportation and		
			ents	\$	\$
SUB-7	TOTAL '	'A" BID AMOUNT FOR GE	NERAL WA	TER BID ITEMS	
			Dollars		
and		Co	Cents	\$	
		360			
-	<u>Project</u>	Water Bid Items		T. 1. D. 1	T ( I D )
Item No.	20	Spec. No, Description & Unit Pr (Unit Price to be Written in Wo		Unit Price (Figures)	Total Price (Figures)
1 wa	(103) Applinear foo	proximately 40 L.F. – Remove Concr ot	ete Curb, per		
		D	ollars		
	and	C	Cents	\$	\$

	Dollars		
and	Cents	\$	- \$
(103) Approximately 15 S.F. Concrete, per square foot	- Remove Miscellaneous		Kol
	Dollars		Ø
and	Cents	\$	<u> </u>
206) Approximately 293 S.Y. Compacted Depth), per squa	7. – Asphalt Treated Base (6" are yard	-CER	
	Dollars	C	
and	Cents	\$	\$
413) Approximately 10 C.Y	. – Flowable Fill, per cubic ya	rd	
and	Dollars Cents	\$	\$
500) Approximately 40 L.F. Concrete Curb and Gutter, pe	- Concrete Curb, Gutter, and er linear foot		
	Dollars		
and	Cents	\$	\$
502) Approximately 13 S.Y. quare yard	- Concrete Sidewalks, per		
	Dollars		
and	Cents	\$	\$
503) Approximately 8 S.Y Driveway, per square yard	- Portland Cement Concrete		
	Dollars		
and	Cents	\$	\$

	Dollars		
and	Cents	\$	\$
(550) Approximately 720 foot	L.F. – Trench Protection, per li	near	COL
	Dollars		
and	Cents	\$	\$
(818) Approximately 20 I (Restrained), per linear fo		6,0	
	Dollars	CO	
and	Cents	\$	<b>\$</b>
(818) Approximately 700 (Restrained), per linear fo	L.F. – 8" PVC Waterline ot Dollars	*	
and		\$	\$
(824) Approximately 121 each	EA – Relay ¾" Short Service, pe	er	
	Dollars		
and	Cents	\$	\$
(824) Approximately 12 I	EA – Relay ¾" Long Service, pe	r	
	Dollars		
and	Cents	\$	\$
(824) Approximately 2 E.	A – Relay 1" Short Service, per	each	
	Dollars		
	<del></del>		

16 wa	(824) Approximately 2 EA – Relay	1" Long Service, per eac	h	
		Dollars		
	and	Cents	\$	s
17 wa	(824) Approximately 2 EA – Relay each	1-1/2" Short Service, per	ē.	1 Or Co
		Dollars		~
	and	Cents	\$	\$
18 wa	(824) Approximately 2 EA – Relay each	1-1/2" Long Service, per	JON OF THE PARTY O	
		Dollars	COX	
	and	Cents	S	\$
19 wa	(824) Approximately 2 EA – Relay	2" Short Service, per eac	:h	
	and	Cents	\$	\$
20 wa	(824) Approximately 2 EA – Relay	2" Long Service, per eac	·h	
		Dollars		
	and	Cents	\$	\$
21 wa	(824) Approximately 2 EA – New 3 Service, per each	4" Short Unmetered		
	20,	Dollars		
~	and	Cents	\$	\$
22 wa	(824) Approximately 2 EA – New 3 Service, per each	4" Long Unmetered		
		Dollars		
	and	Cents	\$	\$

23 wa	(824) Approximately 3 EA – Cuseach	stomer Shut-off Valve, per		
		Dollars		70,
	and	Cents	\$	\$
24 wa	(826) Approximately 3 EA – Val	lve Box Adjustment, per ea	ch	101
		Dollars	•	<b>Y</b> •
	and	Cents	\$	\$
25 wa	(828) Approximately 2 EA – 6"	Gate Valve, per each	* SI	
		Dollars	90	
	and	Cents	<u>(\$)</u>	\$
26 wa	(828) Approximately 5 EA – 8" (	Gate Valve, per each		
	and	Dollars Cents	\$	\$
27 wa	(831) Approximately 1 EA – 6"	H		
	and	Dollars Cents	\$	\$
28 wa	(831) Approximately 1 EA – 8"	X 6" Tee Cut in, per each		
	(0)	Dollars		
<	and	Cents	\$	\$
29 wa	(831) Approximately 1 EA – 8"	X 8" Tee Cut in, per each		
U		Dollars		
	and	Cents	\$	\$

Relocation, per each	A – Existing Meter & Meter Box		
	Dollars		1 70
and	Cents	\$	- \$
a (833) Approximately 5 E Box Relocation, per each	A – Existing Meter & New Meter		COL
	Dollars	. (	2.
and	Cents	\$	\$
(833) Approximately 5 E	A – New Meter Box, per each	O'CO.	
	Dollars	COX	
and	Cents	\$	\$
(834) Approximately 1 E	A – Fire Hydrant, per each  Dollars		
and	Cents	\$	
(836) Approximately 1.2 Types, per ton	5 TON – Pipe Fittings, All Sizes &	&	
	<b>D</b> ollars		
and	Cents	\$	\$
(840) Approximately 5 E	A – 6" Water Tie-Ins, per each		
00,	Dollars		
and	Cents	\$	
(840) Approximately 2 E	A – 8" Water Tie-Ins, per each		
	Dollars		
and	Cents	\$	\$

37 wa	(841) Approximately 3 EA – Hydro	ostatic Testing, per each		
		Dollars		
	and	Cents	\$	\$
38 wa	(844) Approximately 2 EA – 2" Bleach	ow-off, Temporary, per		1 OK
		Dollars		<b>Y</b>
	and	Cents	\$	\$
39 wa	(844) Approximately 1 EA – 2" Bleeach	ow-off, Permanent, per	S. S	
		Dollars	COX	
	and	Cents	<b>C</b> \$	\$
40 wa	(846) Approximately 1 EA – 1" Ai	r Release Valve, per eac Dollars	h	
	and	Cents	\$	\$
41 wa	(856) Approximately 20 LF - 18"; per linear foot	Steel Casing (Open Cut)	,	
		Dollars		
	and	Cents	\$	\$
42 wa	(856) Approximately 20 LF – 6" Ca	arrier Pipe, per linear foo	ot	
	2 <sup>(2)</sup>	Dollars		
~	and	Cents	\$	\$
43 wa	(856) Approximately 20 LF – 8" Ca	arrier Pipe, per linear foo	ot	
		Dollars		
	and	Cents	\$	\$

	Dollars		
and	Cents	\$	_ \$
fittings, tie-ins, service con	4" Temporary Waterline, include nections, and all appurtenances main for water main construction	to	Kok
	Dollars	<b>1</b>	<b>O</b>
and	Cents	\$	\$
fittings, tie-ins, service con	6" Temporary Waterline, include nections, and all appurtenances main for water main construction	to	
and	10,	\$	\$
(200) Approximately 20 S. Depth), per square yard	Y. – Flexible Base (4" Compact  Dollars	ted	
and	Cents	\$	\$
(200) Approximately 20 S. Depth), per square yard	Y. – Flexible Base (6" Compact	ted	
(0)	Dollars		
and	Cents	\$	<u> </u>
	emove and Replace Trash Can Preplace Pad intact; If not, replace		
	Dollars		
	Donais		

SUB-	TOTAL "B" BID AMOUNT FOR ALL	EY PROJEC	18 WAIER BID III	LIVIS
		Dollars		. 70.
and_		Cents	\$	Billo
	-TOTAL "A" & "B" BID A DJECTS WATER BID ITEMS	MOUNT	FOR GENERAL	AND ALLE
		Dollars	90,	
and_		Cents	\$	
			SX.	
Gene	eral Sanitary Sewer Bid Items	C		
Item No.	Spec. No, Description & Unit Price (Unit Price to be Written in Words		Unit Price (Figures)	Total Price (Figures)
1 s	(103) Approximately 40 L.F. – Remove Concret linear foot			
	andCer		S	\$
2 s	(103) Approximately 40 S.F. – Remove Sidewall Driveways, per square foot	ks &		
	Dol	lars		
	andCer	nts S	8	\$
3 s	(103) Approximately 15 S.F. – Remove Miscella Concrete, per square foot	ineous		
2	Dol	lars		
J'	andCer	nts S	5	\$
4 s	(205) Approximately 642 S.Y. – Hot Mix Aspha Pavement-Type D (2" Compacted Depth), per so	altic quare yard		
	Dol	lars		
	and Cer	nts S	3	\$

	Dollars		
and	Cents	\$	\$ <u>-</u>
	S.Y. – Salvaging, Hauling, and Asphaltic Pavement (2"), per squ	uare	For
	Dollars	•	0
and	Cents	\$	\$
413) Approximately 10	C.Y. – Flowable Fill, per cubic ya	ard O	
	Dollars		
and	Cents	\$	<b>\$</b>
(500) Approximately 40 I	L.F. – Concrete Curb, Gutter, and r, per linear foot	I	
and	Dollars Cents	\$	<u> </u>
502) Approximately 13 square yard	5.Y. – Concrete Sidewalks, per		
	Dollars		
and	Cents	\$	<b>\$</b>
502) Approximately 10 s per square yard	S.Y. – Concrete Wheelchair Ram	p,	
•	Dollars		
and		\$	\$
503) Approximately 8 S Driveway, per square yar	Y. – Portland Cement Concrete d		
	Dollars		
and	Cents	\$	\$

	Dollars		. >
and	Cents	\$	\$
(506) Approximately 5 C. Combination Type, per cu	Y. – Concrete Retaining Walls – ibic yard		COL
	Dollars	•	0,
and	Cents	\$	\$
	S.Y. – Replacing with Hot Mix nent – Type B (3" Compacted	Cebia	
	Dollars	Co	
and	Cents	\$	<b>\$</b>
(515) Approximately 10 (	C.Y. – Topsoil, per cubic yard		
and	Dollars Cents	\$	\$
(516) Approximately 20 S	X. – Bermuda Sodding, per squ	are	
	Dollars		
and	Cents	\$	\$
516) Approximately 20 S square yard	S.Y. – St. Augustine Sodding, per	r	
•	Dollars		
and		\$	<u> </u>
(550) Approximately 1,24 linear foot	40 L.F. – Trench Protection, per		
	Dollars		
and	Cents	\$	\$

	Dollars		
and	Cents	\$	\$
	L.F. – 8" PVC Gravity Sanitary 4, 115 psi or SDR 26-2241, 160 p ot		Kol
	Dollars	<b>Y</b>	
and	Cents	\$	\$
(848) Approximately 100 Sewer Pipe (SDR 26-3034 (10'-14' Cut), per linear fo		osi).	
and	H	\$	\$
Sewer Pipe (SDR 26-3034) (14'-22' Cut), per linear for	L.F. – 8" PVC Gravity Sanitary 4, 115 psi or SDR 26-2241, 160 poot Dollars	osi),	
and	Cents	\$	\$
(848) Approximately 400 Sewer Pipe (SDR 26-3034 (0'-10', Cut), per linear foo	L.F. – 12" PVC Gravity Sanitar I, 115 psi or SDR 26-2241, 160 p ot	y osi),	
<u>, 0</u> ,	Dollars		
and	Cents	\$	<b>\$</b>
(850) Approximately 1 EA	A – Sanitary Sewer Manhole		
	Dollars		
and	Cents		Φ.

	Dollars		
and	Cents	\$	\$_ <del></del>
(852) Approximately 6 EA- per each	- Sanitary Sewer Manhole (0'	6'),	COL
	Dollars		
and	Cents	\$	\$
852) Approximately 2 EA - 0'-6'), per each	– Sanitary Sewer Drop Manho	le O	
	Dollars		
and	Cents	\$	<b></b> \$
852) Approximately 6 V.F. per vertical foot	– Extra Depth Manholes (>6°	),	
and	Cents	\$	\$
854) Approximately 375 Linear foot	F. – Sanitary Sewer Laterals,	per	
	Dollars		
and	Cents	\$	
854) Approximately 15 EA Clean-out, per each	– One-Way Sanitary Sewer		
	Dollars		
and	Cents	\$	\$
855) Approximately 2 EA - Manhole, per each	- Reconstruction of Existing		
	Dollars		

	Dollars		
and	Cents	\$	- \$
(856) Approximately 20 per linear foot	OLF – 24" Steel Casing (Open Cut		COL
	Dollars	. (	2.
and	Cents	\$	\$
(856) Approximately 20	OLF – 8" Carrier Pipe, per linear fo	oot.	
	Dollars	604	
and	Cents	<b>C</b> \$	\$
(856) Approximately 40 foot.	Dollars		
and		\$	\$
(858) Approximately 8 Saddles and Collars, pe	C.Y. – Concrete Encasement, Crad r cubic yard	les,	
	Dollars		
and	Cents	\$	\$
(860) Approximately 5	V.F. – Vertical Stacks, per vertical		
	Dollars		
and	Cents	\$	\$
(862) Approximately 10 Sewer Main (12" or gre	00 LF - Abandonment of Sanitary rater), per linear foot		
	Dollars		
and	Cents	\$	\$

	Dollars		
			.0.
and	Cents	\$	\$
(866) Approximately 300 I Inspection (8"-12"), per lin	L.F. – Pre Sewer Main Television near foot	n 🗸	,or
	Dollars	. (7)	
and	Cents	\$	\$
(866) Approximately 1,240 Television Inspection (8"-1		0,0,0	
	Dollars	~CC	
and	Cents	<b>S</b>	\$
	×		
TOTAL "C" BID AMO	OUNT FOR GENERAL S.		ITEMS
TOTAL "C" BID AMO	OUNT FOR GENERAL SDollaCent	ars	ITEMS
TOTAL "C" BID AMO	DollaCent	ars	ITEMS
/ Projects Sanitary Se Spec. No. Des	DollaCent	ars	Total Price (Figures)
Projects Sanitary Se Spec. No. Des (Unit Price to	Dolla Cent  ewer Bid Items cription & Unit Price	Unit Price (Figures)	Total Price
Projects Sanitary See No. Des (Unit Price to (103) Approximately 40 L.	Cent  Ewer Bid Items scription & Unit Price be Written in Words)	Unit Price (Figures)	Total Price
Projects Sanitary See No. Des (Unit Price to (103) Approximately 40 L.	Cent  Were Bid Items Scription & Unit Price be Written in Words)  F. – Remove Concrete Curb, per	Unit Price (Figures)	Total Price
y Projects Sanitary Se Spec. No. Des (Unit Price to (103) Approximately 40 L. linear foot	Cent  Cents  Cents	unit Price (Figures)	Total Price
y Projects Sanitary Se Spec. No. Des (Unit Price to  (103) Approximately 40 L. linear foot  and	Cent  Cents  Cents	unit Price (Figures)	Total Price

	Dollars		
and	Cents	\$	\$
(206) Approximately 610 Compacted Depth), per so	S.Y. – Asphalt Treated Base (6" Juare yard		COL
	Dollars		0.
and	Cents	\$	\$
(413) Approximately 10 C	.Y. – Flowable Fill, per cubic ya	ard O	
	Dollars	S	
and		<b>C</b> \$	<u> </u>
(500) Approximately 40 L Concrete Curb and Gutter,	F. – Concrete Curb, Gutter, and per linear foot  Dollars		
and		\$	
(502) Approximately 13 S. square yard	Y. Concrete Sidewalks, per		
	Dollars		
and	Cents	\$	<u> </u>
503) Approximately 8 S.Y Driveway, per square yard	7. – Portland Cement Concrete		
	Dollars		
and	Cents	\$	<u> </u>
(550) Approximately 1,500 linear foot	) L.F. – Trench Protection, per		
	Dollars		
and	Cents	\$	Φ.

	Dollars		~'(
and	Cents	\$	\$
	L.F. – 8" PVC Gravity Sanitary 44, 115 psi or SDR 26-2241, 160 p foot		\$0'
	Dollars		
and	Cents	\$\$	<u> </u>
(848) Approximately 200 Sewer Pipe (SDR 26-303 (14'-22' Cut), per linear	D.L.F. – 8" PVC Gravity Sanitary 14, 115 psi or SDR 26-2241, 160 p foot	psi).	
and		\$	\$
(851) Approximately 2 E (Watertight Ring and Co	A – Adjust Existing Manhole ver), per each Dollars		
and	Cents	\$	<u> </u>
(852) Approximately 6 E per each	A – Sanitary Sewer Manhole (0'-	-6'),	
(0)	Dollars		
and	Cents	\$	<u> </u>
(852) Approximately 2 E (0'-6'), per each	A – Sanitary Sewer Drop Manho	le	
	Dollars		
and	Cents	Φ.	Φ

	Dollars		
and	Cents	\$	\$
(854) Approximately 625 linear foot	L.F. – Sanitary Sewer Laterals,	per	COL
	Dollars		
and	Cents	\$	\$
(854) Approximately 25 E Clean-out, per each	A – One-Way Sanitary Sewer	0,0,0	•
	Dollars	CO.	
and	Cents	\$	<b></b> \$
(855) Approximately 2 EA Manhole, per each	A – Reconstruction of Existing  Dollars		
and	Cents	\$	\$
(856) Approximately 20 L per linear foot	5 – 18" Steel Casing (Open Cu	t)	
700	Dollars		
and	Cents	\$	<b></b> \$
856) Approximately 20 L	F – 8" Carrier Pipe, per linear fo	oot.	
	Dollars		
and	Cents	\$	<b>\$</b>
(858) Approximately 8 C. Saddles and Collars, per cu	Y. – Concrete Encasement, Cradibic yard	lles,	
	Dollars		
and	Cents	\$	\$

a (860) Approximately 5 V foot	7.F. – Vertical Stacks, per vertical		
	Dollars		26
and	Cents	\$	s
a (864) Approximately 2 E	A – Bypass Pumping (6"-8"), per		COL
	Dollars	. 6	
and	Cents	\$	\$
(866) Approximately 300 Inspection (6"-8"), per lin	L.F. – Pre Sewer Main Televisionear foot	on O	
	Dollars	CO	
and	Cents	\$	. \$
(866) Approximately 1,5 Television Inspection (6'			
and	Dollars Cents	\$	\$
(200) Approximately 20 Depth), per square yard	S.Y. – Flexible Base (4" Compac	red	
	Dollars		
and	Cents	\$	\$
(200) Approximately 20 Depth), per square yard	S.Y. – Flexible Base (6" Compact	red	
	Dollars		
and	Cents	\$	. \$
	Remove and Replace Trash Can F treplace Pad intact; If not, replace		
	Dollars		
and	Cents	\$	\$

SUB-TO	TAL "D" BID AMOUNT FOR ALLEY PROJEC	CTS SANITARY SEV	VER BID ITEMS
	Dollars		1991
and	Cents	\$	- Bill
	TAL "C" & "D" BID AMOUNT FOR GE ARY SEWER BID ITEMS	NERAL AND AL	LEY PROJECTS
	Dollars	201	
and	Cents	60° \$	
Traffic C	Control Bid Items	3	
Item No.	Spec. No, Description & Unit Price (Unit Price to be Written in Words)	Unit Price (Figures)	Total Price (Figures)
1	(530) Approximately 24 M.O. – Barricades, Signs, and Traf Handling (includes general/alley projects water and sewer work per work order), per month	ffic	
	Dollars		
	andCents	\$	\$

Insurance and Bond, Preparing Right-of-Way and Mobilization will not be paid as lump sum items, but instead shall be included in the cost of other bid items.

			0
and	Cents	\$	
		300	
		Staple	
	CCC		
BIDDERS SIGNATURE & TITLE	N. C.		
COMPANY NAME (TYPE OR PRINT		_	
COMPANY ADDRESS	,		
COMPANY PHONE NUMBER/FAX N	NUMBER		
COMPANY EMAIL ADDRESS			

The Contractor herein acknowledges receipt of the following	g:
Addendum Nos	

#### OWNER RESERVES THE RIGHT TO ACCEPT THE OVERALL MOST RESPONSIBLE BID.

The bidder offers to construct the projects in accordance with the contract documents issued under each work order for the contract price based on the unit prices provided for in this bid. The bidder understands and accepts the provisions of the contract documents and this Bid Proposal relating to liquidated damages of the project if work orders are not completed on time. Complete the additional requirements of the Proposal which are included on the following pages.

Special items are included in the SPECIAL CONDITIONS

The San Antonio Water System is currently requesting bids for three (3) Water and Sewer Construction Contracts. These Construction Contracts are open cut construction contracts and are not intended to be pipe bursting or curried in place pipe (CIPP) contracts. These projects will be constructed by open cut construction or boring where applicable. Pipe bursting and CIPP will not be considered on these projects. To be considered a responsive bid, the bidder must make available at all times during the contract at least two (2) independent crews, fully staffed and equipped, to be actively working on concurrent work orders as issued, and must submit with their bid a detailed description of the available resources (equipment, employees, etc.) demonstrating the ability of the bidder to have a minimum of two (2) crews, fully staffed and equipped, available to this contract at all times. Any bid package that does not include this information or any bidder who cannot make available at all times at least two (2) independent crews, fully staffed and equipped, for any contract in which it is the lowest bidder may be deemed non-responsive at the sole discretion of the San Antonio Water System. tor Peter Presente

#### PROPOSAL CERTIFICATION

the San Antonio Water System for which amount represents five percent (5%) of the total proposal is accepted and the bidder fails to execute Contract, in which case the check shall become the payment for damages due to delay and other inconve	ed or Cashier's Check on a State or National Bank payable to the Order of dollars (\$
and award of the contract to the undersigned by the C Contract Documents and make Performance and Pay days after the award of the Contract to secure proper	al within <u>sixty (60)</u> calendar days after the bid opening. Upon acceptance owner, the undersigned shall execute standard San Antonio Water System ment Bonds for the full amount of the contract within <u>ten (10)</u> calendar compliance with the terms and provisions of the contract, to insure and ance, and the guarantee period stipulated, and to guarantee payment of all shed in the fulfillment of the contract.
It is anticipated that the SAWS will provide written Contract.	Authorization to Proceed within thirty (30) days after the award of the
	der this Contract as noted on the SAWS written Authorization to Proceed. prior to Contractor's receipt of SAWS issued, written Authorization to
The undersigned certifies that the bid prices contained and final.	l in the proposal have been carefully checked and are submitted as correct
discriminate on the grounds of race, color, religion, se implementation of these policies and practices.	I the undersigned certifies that bidder's practices and policies do not ex or national origin and that the bidder will affirmatively cooperate in the
Signed:	
	Company Representative
Signed:	Company Name
, 4	Address
0	Address
Please return bidder's check to:	
	Company Name
	Address

#### **Statement of Bidder's Experience**

#### **BIDDER'S EXPERIENCE**

In order to make a responsive Bid, the Bidder (Prime Contractor) must provide evidence of being a responsible bidder by providing a minimum of three successfully *completed* water and sewer projects within the last five years. *If completion of those projects included the assistance of sub contractors, prime must submit the names of the sub contractors used on those projects and specify if those same subs will be used on this contract.* A successfully completed project is considered as a project that did not involve the contractor defaulting on the contract, was completed within the contract time and incurred zero (0) owner claims. The Bidder is also to submit the sub contractors experience if they will be part of the crews doing the work for the Prime Contractor. Contractors should reference water and sewer projects that included new construction or replacement of a minimum of 1,000 linear feet of sanitary sewer mains with a minimum size of 8-inch sewer mains and up to and including twenty four (24) inch sewer main and 1,000 feet of water mains with eight (8) inches and up to and including twenty four (24) inch water main. One of the successfully completed water or sewer project must include a 24-inch water or sewer mains.

Data given must be clear and comprehensive. Include specific project name, facility owner and telephone number, total length of installed water/sanitary sewer lines, and total contract amount, as presented below. San Antonio Water System in determining the responsible bidder will approve the Bid based on low cost and on Bidder's demonstrated experience and ability to perform the work.

Project Name	Facility Owner (tel. #)	Length and Size of Mains Installed	Construction Completion Date	Contract Amount
	- 2	3		
	0,			
	60			
	300			
The signed Bidder Exproposal for the Bidde	perience Form and any er to be considered:	y required supplemental	information must be s	submitted with this
Contractor				
Ву				
Title				
Data				