

Appendix A - Scope

| Metershed | Catchment Area | Designated Main (COMPKEY) | Upstream Manhole (UNITID) | Downstream Manhole (UNITID2) | Main Diameter (Inches) | Main Length (Feet) | Main Material Type | Designated Lateral (UNITID) | Distance from Upstream MH (Feet) | Approximate Lateral Length (Feet) | Address | |
|-----------|----------------|---------------------------|---------------------------|------------------------------|------------------------|--------------------|--------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------|---------------|
| CS14 | CS14-02 | 970066 | 10600 | 7217 | 8 | 30 | CIPP | (assign) | 16 | UNKNOWN | (Verify) | |
| | | | | | | | | (assign) | 26 | UNKNOWN | (Verify) | |
| | | 970653 | 7217 | 7216 | 8 | 407 | CIPP | 55269 | 11 | 28 | 302 Millard | |
| | | | | | | | | 72501 | 42 | 29 | 301 Millard | |
| | | | | | | | | 52968 | 70 | 29 | 308 Millard | |
| | | | | | | | | 1069735 | 72 | 29 | 3800 Howard | |
| | | | | | | | | 1069729 | 77 | 28 | 308 Millard | |
| | | | | | | | | 1069730 | 87 | 28 | 308 Millard | |
| | | | | | | | | 1069734 | 94 | 29 | 3800 Howard | |
| | | | | | | | | 49982 | 112 | 29 | 310 Millard | |
| | | | | | | | | 1069731 | 164 | 27 | 314 Millard | |
| | | | | | | | | 168463 | 171 | 28 | 314 Millard | |
| | | | | | | | | 470858 | 174 | 30 | 3800 Howard | |
| | | | | | | | | 1069732 | 236 | 30 | 314 Millard | |
| | | 1069733 | 285 | 31 | 322 Millard | | | | | | | |
| | | 971612 | 7216 | 3007 | 8 | 182 | CIPP | 73241 | 66 | 29 | 2518 Millard | |
| | | | | | | | | 1069736 | 91 | 29 | 2518 Millard | |
| | | | | | | | | 1069737 | 98 | 28 | 2518 Millard | |
| | | | | | | | | 1069738 | 112 | 27 | 323 Millard | |
| | | 3353921 | 936632 | 87867 | 8 | 95 | HDPE | 1069883 | 10 | 13 | 522 S Audubon | |
| | | | | | | | | 29210 | 44 | 13 | 526 S Audubon | |
| | | 3353922 | 488358 | 936632 | 8 | 184 | HDPE | 54725 | 33 | 15 | 615 Fresno | |
| | | | | | | | | 26933 | 81 | 15 | 518 S Audubon | |
| 27872 | 128 | | | | | | | 15 | 522 S Audubon | | | |
| 54726 | 148 | | | | | | | 15 | 619 Fresno | | | |
| 3320611 | 15174 | 3010 | 10 | 267 | HDPE | 1069877 | 199 | 15 | 4600 San Pedro | | | |
| | | 965882 | 8130 | 20639 | 18 | 199 | HDPE | 1069886 | 71 | 10 | 101 Wonder Pkwy | |
| | | | | | | | | 105086 | 124 | 10 | 100 Mace | |
| | | 974328 | 3907 | 5325 | 8 | 199 | CIPP | 78007 | 34 | 10 | 122 Greenhaven Dr. | |
| | | | | | | | | 78687 | 67 | 10 | 2019 La Manda Blvd. | |
| | | | | | | | | 78008 | 116 | 10 | 126 Greenhaven Blvd. | |
| | | | | | | | | 78009 | 175 | 10 | 130 Greenhaven Dr. | |
| | | | | | | | | | 106112 | | 20 | 2234 Eland Dr |
| | | | | | | | | | 106111 | | 20 | 2230 Eland Dr |
| | | | | | | | | | 106110 | | 20 | 2226 Eland Dr |
| | | | | | | | | | 106109 | | 20 | 2222 Eland Dr |
| | | | | | | | | | 110871 | | 20 | 2218 Eland Dr |
| | | | | | | | | | 112508 | | 20 | 2214 Eland Dr |
| | | 104851 | | 20 | 2210 Eland Dr | | | | | | | |

| Metershed | Catchment Area | Designated Main (COMPKEY) | Upstream Manhole (UNITID) | Downstream Manhole (UNITID2) | Main Diameter (Inches) | Main Length (Feet) | Main Material Type | Designated Lateral (UNITID) | Distance from Upstream MH (Feet) | Approximate Lateral Length (Feet) | Address |
|-----------|----------------|---------------------------|---------------------------|------------------------------|------------------------|--------------------|--------------------|-----------------------------|-----------------------------------------------|-----------------------------------|-----------------|
| CS15 | CS13-13 | 966385 | 3179 | 5585 | 8 | 493 | VCP | 104852 | See the line inspection report in Appendix B. | 20 | 2206 Eland Dr |
| | | | | | | | | 117360 | | 35 | 2202 Eland Dr |
| | | | | | | | | 106108 | | 35 | 2203 Eland Dr |
| | | | | | | | | 104129 | | 40 | 2207 Eland Dr |
| | | | | | | | | 104130 | | 20 | 2211 Eland Dr |
| | | | | | | | | 104131 | | 20 | 2215 Eland Dr |
| | | | | | | | | 104132 | | 20 | 2219 Eland Dr |
| | | | | | | | | 104133 | | 20 | 2223 Eland Dr |
| | | | | | | | | 104134 | | 20 | 2227 Eland Dr |
| | | | | | | | | 104135 | | 20 | 2231 Eland Dr |
| | | 104850 | 20 | 2235 Eland Dr | | | | | | | |
| | | 980555 | 5374 | 5376 | 8 | 350 | CP | 80789 | See the line inspection report in Appendix B. | 8 | 463 Pilgrim Dr |
| | | | | | | | | 80788 | | 8 | 459 Pilgrim Dr |
| | | | | | | | | 80787 | | 8 | 455 Pilgrim Dr |
| | | | | | | | | 80786 | | 8 | 451 Pilgrim Dr |
| | | | | | | | | 82032 | | 8 | 454 Lively Dr |
| | | | | | | | | 82033 | | 8 | 458 Lively Dr |
| | | | | | | | | 81356 | | 8 | 462 Lively Dr |
| | | 81357 | 8 | 466 Lively Dr | | | | | | | |
| | | 972816 | 2842 | 15383 | 8 | 185 | VCP | 66174 | See the line inspection report in Appendix B. | 24 | 114 Milford Dr |
| | | | | | | | | 66173 | | 24 | 110 Milford Dr |
| | | | | | | | | 66172 | | 24 | 106 Milford Dr |
| | | | | | | | | 66171 | | 24 | 102 Milford Dr |
| | | | | | | | | 66398 | | 24 | 103 Milford Dr |
| | | | | | | | | 65758 | | 24 | 107 Milford Dr |
| | | | | | | | | 65759 | | 24 | 111 Milford Dr |
| | | 65760 | 24 | 115 Milford Dr | | | | | | | |
| | | 965440 | 7336 | 5429 | 8 | 400 | CP | 65138 | See the line inspection report in Appendix B. | 10 | 263 Sullivan Dr |
| | | | | | | | | 65148 | | 10 | 259 Sullivan Dr |
| | | | | | | | | 64715 | | 10 | 255 Sullivan Dr |
| | | | | | | | | 64685 | | 10 | 251 Sullivan Dr |
| | | | | | | | | 63801 | | 10 | 247 Sullivan Dr |
| | | | | | | | | 63800 | | 10 | 243 Sullivan Dr |
| | | | | | | | | 78331 | | 10 | 239 Sullivan Dr |
| | | | | | | | | 79114 | | 10 | 462 Saratoga Dr |
| | | | | | | | | 20410 | | 10 | 458 Saratoga Dr |
| | | | | | | | | 18993 | | 10 | 454 Saratoga Dr |
| | | | | | | | | 18513 | | 10 | 450 Saratoga Dr |
| | | | | | | | | 78556 | | 10 | 446 Saratoga Dr |
| | | | | | | | | 18853 | | 10 | 442 Saratoga Dr |
| | | 18691 | 10 | 438 Saratoga Dr | | | | | | | |

| Metershed | Catchment Area | Designated Main (COMPKEY) | Upstream Manhole (UNITID) | Downstream Manhole (UNITID2) | Main Diameter (Inches) | Main Length (Feet) | Main Material Type | Designated Lateral (UNITID) | Distance from Upstream MH (Feet) | Approximate Lateral Length (Feet) | Address | |
|-----------|----------------|---------------------------|---------------------------|------------------------------|------------------------|--------------------|--------------------|-----------------------------|-----------------------------------------------|-----------------------------------|-------------------|-------------------|
| | | 972817 | 2629 | 7512 | 8 | 306 | VCP | 65735 | See the line inspection report in Appendix B. | 28 | 250 Nassau Dr | |
| | | | | | | | | 65734 | | 28 | 242 Nassau Dr | |
| | | | | | | | | 65733 | | 28 | 238 Nassau Dr | |
| | | | | | | | | 65732 | | 28 | 234 Nassau Dr | |
| | | | | | | | | 66370 | | 28 | 230 Nassau Dr | |
| | | | | | | | | 66369 | | 28 | 226 Nassau Dr | |
| | | | | | | | | 65983 | | 28 | 243 Nassau Dr | |
| | | | | | | | | 65982 | | 28 | 239 Nassau Dr | |
| | | | | | | | | 65981 | | 28 | 235 Nassau Dr | |
| | | | | | | | | 65980 | | 28 | 231 Nassau Dr | |
| | | | | | | | | 65745 | | 28 | 227 Nassau Dr | |
| | | 965370 | 5368 | 5369 | 8 | 404 | CT | 88575 | See the line inspection report in Appendix B. | 25 | 186 Tansyl Dr | |
| | | | | | | | | 88574 | | 25 | 182 Tansyl Dr | |
| | | | | | | | | 88573 | | 25 | 178 Tansyl Dr | |
| | | | | | | | | 88518 | | 25 | 174 Tansyl Dr | |
| | | | | | | | | 92305 | | 25 | 170 Tansyl Dr | |
| | | | | | | | | 88517 | | 25 | 166 Tansyl Dr | |
| | | | | | | | | 92841 | | 25 | 162 Tansyl Dr | |
| | | | | | | | | 88572 | | 25 | 191 Tansyl Dr | |
| | | | | | | | | 88571 | | 25 | 187 Tansyl Dr | |
| | | | | | | | | 89339 | | 25 | 183 Tansyl Dr | |
| | | | | | | | | 90023 | | 25 | 179 Tansyl Dr | |
| 89983 | 25 | 175 Tansyl Dr | | | | | | | | | | |
| 88590 | 25 | 171 Tansyl Dr | | | | | | | | | | |
| 88589 | 25 | 167 Tansyl Dr | | | | | | | | | | |
| | CS38-04 | 3301240 | 35573 | 20564 | 8 | 225 | HDPE | 86416 | 19 | 8 | 2230 BEECHAVEN | |
| | | | | | | | | 86619 | 22 | 8 | 2231 BRONTE | |
| | | | | | | | | 86415 | 49 | 8 | 2226 BEECHAVEN | |
| | | | | | | | | 86618 | 75 | 8 | 2227 BRONTE | |
| | | | | | | | | 86414 | 105 | 8 | 2222 BEECHAVEN | |
| | | | | | | | | 86617 | 125 | 8 | 2223 BRONTE | |
| | | | | | | | | 86210 | 145 | 8 | 2218 BEECHAVEN | |
| | | | | | | | | 86519 | 178 | 8 | 2219 BRONTE | |
| | 86209 | 200 | 8 | 2214 BEECHAVEN | | | | | | | | |
| | | | 3301046 | 1015215 | 19137 | 8 | 210 | HDPE | 349521 | 75 | 8 | 1402 Cupples |
| | | | | | | | | | 367175 | 77 | 8 | 1422 Cupples |
| | | | | | | | | | 375209 | 144 | 8 | 347 PLETZ DR |
| | | | | | | | | | 375211 | 194 | 8 | 343 PLETZ DR |
| | | | | | | | | | 360289 | 198 | 8 | 342 W BEDFORD AVE |
| | | | | | | | | | 376581 | 36 | 8 | 339 PLETZ DR |
| 350434 | | | | | | | | | 44 | 8 | 338 W BEDFORD AVE | |

| Metershed | Catchment Area | Designated Main (COMPKEY) | Upstream Manhole (UNITID) | Downstream Manhole (UNITID2) | Main Diameter (Inches) | Main Length (Feet) | Main Material Type | Designated Lateral (UNITID) | Distance from Upstream MH (Feet) | Approximate Lateral Length (Feet) | Address | |
|-----------|----------------|---------------------------|---------------------------|------------------------------|------------------------|--------------------|--------------------|-----------------------------|----------------------------------|-----------------------------------|-------------------|-------------------|
| CS38 | CS38-01 | 3300801 | 19137 | 19583 | 8 | 500 | HDPE | 360288 | 94 | 8 | 334 W BEDFORD AVE | |
| | | | | | | | | 348429 | 95 | 8 | 335 PLETZ DR | |
| | | | | | | | | 360287 | 137 | 8 | 330 W BEDFORD AVE | |
| | | | | | | | | 376582 | 143 | 8 | 331 PLETZ DR | |
| | | | | | | | | 376580 | 170 | 8 | 327 PLETZ DR | |
| | | | | | | | | 360286 | 192 | 8 | 326 W BEDFORD AVE | |
| | | | | | | | | 376323 | 230 | 8 | 323 PLETZ DR | |
| | | | | | | | | 360285 | 244 | 8 | 322 W BEDFORD | |
| | | | | | | | | 376322 | 290 | 8 | 319 PLETZ DR | |
| | | | | | | | | 360284 | 295 | 8 | 318 W BEDFORD AVE | |
| | | | | | | | | 376321 | 336 | 8 | 315 PLETZ DR | |
| | | | | | | | | 359755 | 342 | 8 | 314 W BEDFORD AVE | |
| | | | | | | | | 376320 | 389 | 8 | 311 PLETZ DR | |
| | | | | | | | | 359504 | 394 | 8 | 310 W BEDFORD AVE | |
| | | | | | | | | 376319 | 436 | 8 | 307 PLETZ DR | |
| | | | | | | | | 376318 | 484 | 8 | 303 PLETZ DR | |
| | | | | | | | | 359503 | 490 | 8 | 302 W BEDFORD AVE | |
| | | | | | | | | | | | | |
| | | | | | | | | | 359502 | 96 | 8 | 250 W BEDFORD AVE |
| | | | | | | | | | 375765 | 140 | 8 | 247 PLETZ DR |
| | | | | | | | | | 359501 | 146 | 8 | 246 W BEDFORD AVE |
| | | | | | | | | | 375764 | 192 | 8 | 243 PLETZ DR |
| | | | | | | | | | 353073 | 196 | 8 | 242 W BEDFORD AVE |
| | | | | | | | | | 375763 | 238 | 8 | 239 PLETZ DR |
| | | | | | | | | | 351415 | 246 | 8 | 238 W BEDFORD AVE |
| | | | | | | | | | 375762 | 290 | 8 | 235 PLETZ DR |
| | | | | | | | | | 359500 | 297 | 8 | 234 W BEDFORD AVE |
| | | | | | | | | | 375761 | 338 | 8 | 231 PLETZ DR |
| | | | | | | | | | 359499 | 345 | 8 | 230 W BEDFORD AVE |
| | | | | | | | | | 359498 | 395 | 8 | 226 W BEDFORD AVE |
| | | | | | | | | 375760 | 396 | 8 | 227 PLETZ DR | |
| | | | | | | | | 375759 | 440 | 8 | 223 PLETZ DR | |
| | | | | | | | | 359497 | 446 | 8 | 222 W BEDFORD AVE | |
| | | | | | | | | 375758 | 485 | 8 | 219 PLETZ DR | |
| | | | | | | | | 360283 | 491 | 8 | 218 W BEDFORD AVE | |
| Totals | | | | | | 5,136 | | | | 2,521 | | |