

SAN ANTONIO WATER SYSTEM PURCHASING DEPARTMENT

Issued By: Author E. Sandlain II
BID NO.: 19-19065

Date Issued: June 6, 2019

**FORMAL INVITATION FOR BIDS
FORMAL ONE TIME PURCHASE AND INSTALLATION OF NEW INDUSTRIAL SHELVING,
BULK RACKING, AND PALLET RACKING
ADDENDUM 4**

Sealed bids addressed to the Purchasing Director, San Antonio Water System, 2800 US Hwy 281 North, Administration Bldg., 5th Floor, San Antonio, TX 78212 will be received until **3:00 p.m., June 10, 2019** and then publicly opened and read aloud for furnishing materials or services as described herein below,

The San Antonio Water System Purchasing Department is willing to assist any bidder(s) in the interpretation of bid provisions or explanation of how bid forms are to be completed. Assistance may be received by visiting the Purchasing Office in the SAWS Main Office, 2800 US Hwy 281 North, San Antonio, TX 78212, or by calling (210) 233-3819.

This invitation includes the following:

Invitation for Bids
Terms and Conditions of Invitation for Bids

Specifications and General Requirements
Price Schedule

The undersigned, by his/her signature, represents that he/she is authorized to bind the Bidder to fully comply with the Specifications and General Requirements for the amount(s) shown on the accompanying bid sheet(s). By signing below, Bidder has read the entire document and agreed to the terms therein.

Signer's Name: _____ Firm Name: _____
(Please Print or Type)

Address: _____

Signature of Person Authorized to Sign Bid _____ City, State, Zip Code: _____

Email Address: _____ Telephone No.: _____

Fax No.: _____

Please complete the following:

Prompt Payment Discount: _____% _____days. (If no discount is offered, Net 30 will apply.)

Please check the following blanks which apply to your company:

Ownership of firm (51% or more):

Non-minority Hispanic African-American Other Minority (specify) _____

Female Owned Handicapped Owned Small Business (less than \$1 million annual receipts or 100 employees)

Indicate Status: Partnership Corporation Sole Proprietorship Other (specify) _____

Tax Identification Number: _____

To report suspected ethics violations impacting the San Antonio Water System, please call 1-800-687-1918.

The purpose of this Addendum #4 is to provide a response for vendor Substitution Request Forms. See the approved substitutions for each drawing identifier listed below.

1. DRAWING IDENTIFIER SH-3A
CLOSED INDUSTRIAL STEEL SHELVING

DRAWING IDENTIFIER SH-3A	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	ULINE	Western Pacific Storage Solutions	Meets	
PRODUCT NUMBER	H-4354	Deluxe	Meets	
DIMENSIONS	48"W x 24"D x 87"	Same		
MATERIAL SIDE AND BACK PANELS	Minimum 24-gauge steel side and back panels eliminate product roll-off	Same		
MATERIAL SHELVES	Minimum 20-gauge steel shelves, welded box beams front and rear	Same		
SHELVE CAPACITY	Holds up to 550 lbs. per shelf	640 lbs	Meets	
INCREMENTS FOR HEIGHT ADJUSTMENTS	1 1/2" increments with shelf clips	Same		
SHELVES	8 Shelves per unit	Same		
COLOR	Must be available in dark grey or black	Dark Grey	Meets	
PROPOSED PRODUCT FOR SH-3A ACCEPTED BY SAWS			YES <u> X </u> NO _____	

2. DRAWING IDENTIFIER SH-3B
 RACK BULK SHELVING WITH GALVANIZED PANELS, 3 SHELVES

DRAWING IDENTIFIER SH-3B	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	Mecalux	Same		
PRODUCT NUMBER				
DIMENSIONS	48"W x 36"D x 96"	Same		
BULK STORAGE RACK	Add on, Width 60", Depth 48", Height 120"	N/A	Meets	
BEAM CAPACITY	Minimum 5020 LBS	5340 lbs	Meets	
WIRE DECKING	Galvanized-panel Decking, 3 Levels	Same		
INCREMENTS FOR HEIGHT ADJUSTMENTS OF SHELVES	2" increments	Same		
FOR USE WITH	Heavy Duty Bulk Storage Rack, Includes (6) Beams, Front to Back Supports and Frame	Same		
COLOR	Must be available in Medium Gray Powder Coat Finish	Blue Uprights, Orange Beams	Meets	
PROPOSED PRODUCT FOR SH-3B ACCEPTED BY SAWS			YES <u> X </u> NO _____	

3. DRAWING IDENTIFIER SH-3C
 PALLET SHELVING

DRAWING IDENTIFIER SH-3C	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	Mecalux	Same		
PRODUCT NUMBER				
DIMENSIONS	96"W x 42"D x 120"	Same		
MATERIAL SPECIFICATION	One-piece 13 gauge steel uprights with height adjustments every 2 inches	14 Ga Uprights Capacity: 20867#	Meets	
UPRIGHTS	must have interchangeable teardrop style that are compatible with Interlake, Kingway, Steel King, USP, Wireway/Husky, Unarco and Speed Rack	Same		
UPRIGHTS ANCHOR	Uprights must have an integrated anchor foot of at least 12 gauge steel	Same		
BEAMS	High strength 15 gauge steel step beams to allow for cross bars and decking	Same		
BEAM LOCKING	Must automatically lock into uprights	Same		
BRACING	On uprights for rigidity and stability.	Same		
FINISH	Uprights and beams must be epoxy coated for longevity	Cathaphoresis Information attached	Meets	
PROPOSED PRODUCT FOR SH-3C ACCEPTED BY SAWS			YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	

4. DRAWING IDENTIFIER SH-3D
 PALLET SHELVING WITH LOWER BULK STORAGE

DRAWING IDENTIFIER SH-3D	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	MECALUX	Same		
DIMENSIONS	96"W x 42"D x 192"	Same		
MATERIAL SPECIFICATION	One-piece 13 gauge steel uprights with height adjustments every 2 inches	14 Ga Uprights Capacity: 20867#	Meets	
UPRIGHTS	must have interchangeable teardrop style that are compatible with Interlake, Kingway, Steel King, USP, Wireway/Husky, Unarco and Speed Rack	Same		
UPRIGHTS ANCHOR	Uprights must have an integrated anchor foot of at least 12 gauge steel	Same		
BEAMS	High strength 15 gauge steel step beams to allow for cross bars and decking	Same		
BEAM LOCKING	Must automatically lock into uprights	Same		
BRACING	On uprights for rigidity and stability.	Same		
FINISH	Uprights and beams must be epoxy coated for longevity	Cataphoresis	Meets	
PROPOSED PRODUCT FOR SH-3D ACCEPTED BY SAWS			YES <u>X</u> NO _____	

5. DRAWING IDENTIFIER SH-3E
PALLET SHELVING

DRAWING IDENTIFIER SH-3E	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	MECALUX	Same		
DIMENSIONS	96"W x 42"D x 192"	Same		
MATERIAL SPECIFICATION	One-piece 13 gauge steel uprights with height adjustments every 2 inches	14 Ga Uprights Capacity: 20867#	Meets	
UPRIGHTS	must have interchangeable teardrop style that are compatible with Interlake, Kingway, Steel King, USP, Wireway/Husky, Unarco and Speed Rack	Same		
UPRIGHTS ANCHOR	Uprights must have an integrated anchor foot of at least 12 gauge steel	Same		
BEAMS	High strength 15 gauge steel step beams to allow for cross bars and decking	Same		
BEAM LOCKING	Must automatically lock into uprights	Same		
BRACING	On uprights for rigidity and stability.	Same		
FINISH	Uprights and beams must be epoxy coated for longevity	Cataphoresis	Meets	
PROPOSED PRODUCT FOR SH-3E ACCEPTED BY SAWS			YES <u> X </u> NO _____	

6. DRAWING IDENTIFIER SH-3F
 PALLET SHELVING WITH LOWER BULK STORAGE

DRAWING IDENTIFIER SH-3F	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	MECALUX	Same		
DIMENSIONS	96"W x 42"D x 120"	Same		
MATERIAL SPECIFICATION	One-piece 13 gauge steel uprights with height adjustments every 2 inches	14 Ga Uprights Capacity: 20867#	Meets	
UPRIGHTS	must have interchangeable teardrop style that are compatible with Interlake, Kingway, Steel King, USP, Wireway/Husky, Unarco and Speed Rack	Same		
UPRIGHTS ANCHOR	Uprights must have an integrated anchor foot of at least 12 gauge steel	Same		
BEAMS	High strength 15 gauge steel step beams to allow for cross bars and decking	Same		
BEAM LOCKING	Must automatically lock into uprights	Same		
BRACING	On uprights for rigidity and stability.	Same		
FINISH	Uprights and beams must be epoxy coated for longevity	Cataphoresis	Meets	
PROPOSED PRODUCT FOR SH-3F ACCEPTED BY SAWS			YES <u> X </u> NO _____	

7. DRAWING IDENTIFIER SH-3G
 RACK BULK SHELVING WITH GALVANIZED PANELS, 3 SHELVES

DRAWING IDENTIFIER SH-3G	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	Mecalux	Same		
PRODUCT NUMBER				
DIMENSIONS	48"W x 24"D x 96"	Same		
BULK STORAGE RACK	Add on, Width 60", Depth 24", Height 120"	N/A	Meets	
BEAM CAPACITY	Minimum 5020 LBS	5620 lbs	Meets	
WIRE DECKING	Galvanized-panel Decking, 3 Levels	same		
INCREMENTS FOR HEIGHT ADJUSTMENTS OF SHELVES	2" increments	same		
FOR USE WITH	Heavy Duty Bulk Storage Rack, Includes (6) Beams, Front to Back Supports and Frame	same		
COLOR	Must be available in Medium Gray Powder Coat Finish	Blue Upright, Orange Beams	Meets	
PROPOSED PRODUCT FOR SH-3G ACCEPTED BY SAWS			YES <u> X </u> NO _____	

8. DRAWING IDENTIFIER SH-3H
CLOSED INDUSTRIAL STEEL SHELVING

DRAWING IDENTIFIER SH-3H	AS SPECIFIED IN BID	PROPOSED	FOR SAWS USE: MEETS/ DOES NOT MEET	SAWS REMARKS
MANUFACTURER	ULINE	Western Pacific Storage Solutions	Meets	
PRODUCT NUMBER	H-4354	Deluxe	Meets	
DIMENSIONS	48"W x 24"D x 87"	Same		
MATERIAL SIDE AND BACK PANELS	Minimum 24-gauge steel side and back panels eliminate product roll-off	Same		
MATERIAL SHELVES	Minimum 20-gauge steel shelves, welded box beams front and rear	Same		
SHELVE CAPACITY	Holds up to 550 lbs. per shelf	640 lbs	Meets	
INCREMENTS FOR HEIGHT ADJUSTMENTS	1 ½" increments with shelf clips	Same		
SHELVES	8 Shelves per unit 21 Dividers per unit	Same		
COLOR	Must be available in dark grey or black	Dark Grey	Meets	
PROPOSED PRODUCT FOR SH-3H ACCEPTED BY SAWS			YES <u> X </u> NO _____	

IT IS NOT NECESSARY TO RETURN THIS ADDENDUM 4 AS PART OF YOUR BID SUBMISSION.

All terms and conditions of the Formal Bid remained unchanged.