



2016 Central Sewershed Package I (SSO Package 3)

Solicitation Number: CO-00086

Job No.: 16-4801

ADDENDUM 1


October 24, 2016

To Respondent of Record:


This addendum, applicable to work referenced above, is an amendment to the bid proposal, plans and specifications and as such will be a part of and included in the Contract Documents. Acknowledge receipt of this addendum by entering the Addendum number and issue date on the space provided in submitted copies of the bid proposal.

MODIFICATIONS TO THE SPECIFICATIONS

1. Replace Bid Proposal with revised Bid Proposal attached.
 Added Item 535.8 – 24 Inch Wide Yellow Line (COSA Spec)
 Added Item 535.22 – Solid Yellow Median Nose (COSA Spec)
 Increased Quantity for Item 413.1 – Flowable Fill (COSA Spec)
 Increased Quantity for Item 413.3 – Flowable Fill (High Strength Emergency Repair)(COSA Spec)
2. Increased Overall Estimated Construction Cost to \$2,962,900.00



 John T. Mooneyham, P.E.
 Civil Engineering Consultants (CEC)



ACKNOWLEDGEMENT BY RESPONDENT

Each Respondent shall acknowledge receipt of this Addendum No. 1 by noting such and signing the Bid Proposal.

This undersigned acknowledges receipt of this Addendum No. 1 and the bid proposal submitted herewith is in accordance with the information and stipulations set forth.

Date

Signature of Respondent

END OF ADDENDUM

Project: Central Sewershed Package I (SSO Package 3)
 SAWS Job: 16-4801

rev. 10/24/2016

BID FORM

| Item No. | Spec. No. | Item Description | Units | Apprx. Qty. | Unit Price | Extended Price |
|----------|-----------|---|-------|-------------|------------|----------------|
| 1 | 103.1 | Remove Concrete Curb (COSA Spec) | LF | 75 | | |
| 2 | 103.3 | Remove Concrete Sidewalks and Driveways (COSA Spec) | SF | 95 | | |
| 3 | 103.4 | Remove Miscellaneous Concrete (COSA Spec) | SF | 105 | | |
| 4 | 203.1 | Tack Coat (COSA Spec) | GAL | 72 | | |
| 5 | 205.2 | Hot Mix Asphaltic Concrete Pavement, Type B (2" Compacted Depth) (COSA Spec) | SY | 715 | | |
| 6 | 205.3 | Hot Mix Asphaltic Concrete Pavement, Type C (3" Compacted Depth) (COSA Spec) | SY | 500 | | |
| 7 | 205.4 | Hot Mix Asphaltic Concrete Pavement, Type D (2" Compacted Depth) (COSA Spec) | SY | 215 | | |
| 8 | 206.1 | Asphalt Treated Base (ATB) (10" Compacted Depth) (COSA Spec) | SY | 215 | | |
| 9 | 206.1 | Asphalt Treated Base (ATB) (12" Compacted Depth) (COSA Spec) | SY | 500 | | |
| 10 | 208.1 | Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (2" Depth) | SY | 100 | | |
| 11 | 208.1 | Salvaging, Hauling, and Stockpiling Reclaimable Asphaltic Pavement (3" Depth) | SY | 100 | | |
| 12 | 247 | Flexible Base-Type A, Grade I with 2% Cement (TxDOT Spec.) | CY | 50 | | |
| 13 | 413.1 | Flowable Fill (COSA Spec) | CY | 400 | | |
| 14 | 413.3 | Flowable Fill (High Strength Emergency Repair)(COSA Spec) | CY | 100 | | |
| 15 | 500.1 | Concrete Curb, Gutter, and Concrete Curb and Gutter (COSA Spec) | LF | 100 | | |
| 16 | 502.1 | Concrete Sidewalks (COSA Spec) | SY | 50 | | |
| 17 | 503.1 | Portland Cement Concrete Driveway (COSA Spec) | SY | 50 | | |
| 18 | 503.2 | Portland Cement Concrete Driveway - Commercial (COSA Spec) | SY | 50 | | |
| 19 | 503.4 | Asphaltic Concrete Driveway (COSA Spec) | SY | 50 | | |
| 20 | 505.1 | Concrete Riprap (5" Thick) (COSA Spec) | SY | 50 | | |
| 21 | 507.1 | New Residential Chain Link Wire Fence (4 ft. High) (COSA Spec) | LF | 100 | | |
| 22 | 507.6 | New Residential Wooden Privacy Fence (6 ft. High)(COSA Spec) | LF | 200 | | |
| 23 | 507.6 | Remove/Replace Miscellaneous Other Fence/Gates, all types | LF | 50 | | |
| 24 | 515.1 | Topsoil (COSA Spec) | CY | 50 | | |
| 25 | 516.1 | Bermuda Sodding (COSA Spec) | SY | 100 | | |
| 26 | 516.2 | St. Augustine Sodding (COSA Spec) | SY | 100 | | |
| 27 | 530.1 | Barricades, Signs, and Traffic Handling, Work Site 1 (COSA Spec) | LS | 1 | | |
| 28 | 530.1 | Barricades, Signs, and Traffic Handling, Work Site 2 (COSA Spec) | LS | 1 | | |
| 29 | 530.1 | Barricades, Signs, and Traffic Handling, Work Site 3 (COSA Spec) | LS | 1 | | |
| 30 | 530.1 | Barricades, Signs, and Traffic Handling, Work Site 4 (COSA Spec) | LS | 1 | | |
| 31 | 535.1 | 4 Inch Wide Yellow Line (COSA Spec) | LF | 50 | | |
| 32 | 535.2 | 4 Inch Wide White Line (COSA Spec) | LF | 50 | | |
| 33 | 535.7 | 24 Inch Wide White Line (COSA Spec) | LF | 50 | | |
| 34 | 535.8 | 24 Inch Wide Yellow Line (COSA Spec) | LF | 90 | | |
| 35 | 535.22 | Solid Yellow Median Nose (COSA Spec) | EA | 1 | | |
| 36 | 537.6 | Pavement Marker (Type I-C) (COSA Spec) | EA | 20 | | |
| 37 | 537.8 | Pavement Marker (Type II-A-A) (COSA Spec) | EA | 20 | | |

Project: Central Sewershed Package I (SSO Package 3)

SAWS Job: 16-4801

rev. 10/24/2016

BID FORM

| Item No. | Spec. No. | Item Description | Units | Apprx. Qty. | Unit Price | Extended Price |
|----------|-----------|---|-------|-------------|------------|----------------|
| 38 | 550.1 | Trench Excavation Protection (COSA Spec) | LF | 1250 | | |
| 39 | 848 | 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (0'- 6' Cut) | LF | 225 | | |
| 40 | 848 | 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6'- 14' Cut) | LF | 145 | | |
| 41 | 848 | 8" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (14'- 22' Cut) | LF | 130 | | |
| 42 | 848 | 10" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), (6'- 14' Cut) | LF | 50 | | |
| 43 | 848 | 15" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), | LF | 55 | | |
| 44 | 848 | 18" PVC Gravity Sanitary Sewer Pipe (SDR 26-3034, 115 psi or SDR 26-2241, 160 psi), | LF | 40 | | |
| 45 | 850.1 | Sanitary Sewer Structures (all sizes) | EA | 2 | | |
| 46 | 851 | Adjusting Existing Manholes (with new ring and cover) | EA | 5 | | |
| 47 | 852.1 | Sanitary Sewer Manhole, 4 ft. Diameter (0'- 6') | EA | 48 | | |
| 48 | 852.1 | Sanitary Sewer Manhole, 5 ft. Diameter (0'- 6') | EA | 1 | | |
| 49 | 852.2 | Sanitary Sewer Drop Manhole, 4 ft. Diameter (0'- 6') | EA | 1 | | |
| 50 | 852.2 | Sanitary Sewer Drop Manhole, 5 ft. Diameter (0'- 6') | EA | 1 | | |
| 51 | 852.3 | Extra Depth Manholes, 4 ft. Diameter (>6') | VF | 150 | | |
| 52 | 852.3 | Extra Depth Manholes, 5 ft. Diameter (>6') | VF | 10 | | |
| 53 | 854.1 | Sanitary Sewer Laterals, (SDR 26, ASTM 2241, 160 psi)(all sizes and depths) | LF | 100 | | |
| 54 | 854.2 | Two-Way Sanitary Sewer Clean-out (all depths) | EA | 12 | | |
| 55 | 855.1 | Reconstruction of Existing Manhole (4 ft. Diameter) | EA | 5 | | |
| 56 | 855.2 | Reconstruction of Existing Manhole (>4 ft. Diameter) | EA | 2 | | |
| 57 | 858 | Concrete Encasement, Cradles, Saddles and Collars | CY | 50 | | |
| 58 | 860 | Vertical Stacks | VF | 100 | | |
| 59 | 864-S1 | Bypass Pumping (Work Site 1) | LS | 1 | | |
| 60 | 864-S1 | Bypass Pumping (Work Site 2) | LS | 1 | | |
| 61 | 864-S1 | Bypass Pumping (Work Site 3) | LS | 1 | | |
| 62 | 864-S1 | Bypass Pumping (Work Site 4) | LS | 1 | | |
| 63 | 866 | Sewer Main Pre-Television Inspection (8"-15") | LF | 15088 | | |
| 64 | 866 | Sewer Main Post-Television Inspection (8"-15") | LF | 15088 | | |
| 65 | 866 | Sewer Main Pre-Television Inspection (18") | LF | 404 | | |
| 66 | 866 | Sewer Main Post-Television Inspection (18") | LF | 404 | | |
| 67 | 900 | Pipe Bursting 8" Sanitary Sewer Pipe, 0'-10' deep | LF | 3000 | | |
| 68 | 900 | Pipe Bursting 8" Sanitary Sewer Pipe, 10'-15' deep | LF | 3750 | | |
| 69 | 900 | Pipe Bursting 8" Sanitary Sewer Pipe, >15' deep | LF | 910 | | |

Project: Central Sewershed Package I (SSO Package 3)

SAWS Job: 16-4801

rev. 10/24/2016

BID FORM

| Item No. | Spec. No. | Item Description | Units | Apprx. Qty. | Unit Price | Extended Price |
|----------|-----------|---|-------|-------------|------------|----------------|
| 70 | 900 | Pipe Bursting 10" Sanitary Sewer Pipe, 0'-10' deep | LF | 50 | | |
| 71 | 900 | Pipe Bursting 15" Sanitary Sewer Pipe, 0'-10' deep | LF | 75 | | |
| 72 | 900 | Pipe Bursting 15" Sanitary Sewer Pipe, 10'- 15' deep | LF | 125 | | |
| 73 | 900 | Pipe Bursting 15" Sanitary Sewer Pipe, >15' deep | LF | 50 | | |
| 74 | 900 | Pipe Bursting 18" Sanitary Sewer Pipe, 0'-10' deep | LF | 80 | | |
| 75 | 900 | Pipe Bursting 18" Sanitary Sewer Pipe, 10'- 15' deep | LF | 105 | | |
| 76 | 900 | Pipe Bursting 18" Sanitary Sewer Pipe, >15' deep | LF | 125 | | |
| 77 | 901 | CIPP 8" Sanitary Sewer Pipe, all depths | LF | 6033 | | |
| 78 | 901 | CIPP 10" Sanitary Sewer Pipe, all depths | LF | 434 | | |
| 79 | 901 | CIPP 15" Sanitary Sewer Pipe, all depths | LF | 50 | | |
| 80 | 901 | CIPP 18" Sanitary Sewer Pipe, all depths | LF | 54 | | |
| 81 | 910 | Manhole Rehabilitation (4'Dia. Manhole) | VF | 280 | | |
| 82 | 910 | Manhole Rehabilitation (Manholes >4' Dia.) | SF | 65 | | |
| 83 | 1103.1 | Point repairs for 8" or 10" Diameter, (0'-10' depth) including up to 20 LF of piping | EA | 9 | | |
| 84 | 1103.1 | Point repairs for 8" or 10" Diameter, (10'-15' depth) including up to 20 LF of piping | EA | 4 | | |
| 85 | 1103.1 | Point repairs for 8" or 10" Diameter, (>15' depth) including up to 20 LF of piping | EA | 2 | | |
| 86 | 1103.1 | Point repairs for 12" or 15" Diameter, (0'-10' depth) including up to 20 LF of piping | EA | 1 | | |
| 87 | 1103.1 | Point repairs for 12" or 15" Diameter, (10'-15' depth) including up to 20 LF of piping | EA | 1 | | |
| 88 | 1103.1 | Point repairs for 18" or 21" Diameter, (All depths) including up to 20 LF of piping | EA | 1 | | |
| 89 | 1103.3 | Obstruction Removal by Excavation, 8" or 10" Diameter, all depths | EA | 2 | | |
| 90 | 1103.3 | Obstruction Removal by Excavation, 12" or 15" Diameter, all depths | EA | 2 | | |
| 91 | 1103.3 | Obstruction Removal by Excavation, 18" Diameter, all depths | EA | 2 | | |
| 92 | 1103.4 | Obstruction Removal by Remote Device, 8" or 10" Diameter, all depths | EA | 2 | | |
| 93 | 1103.4 | Obstruction Removal by Remote Device, 12" or 15" Diameter, all depths | EA | 2 | | |
| 94 | 1103.4 | Obstruction Removal by Remote Device, 18"Diameter, all depths | EA | 2 | | |
| 95 | 1109 | Service Reconnection, all depths (w/ remote control cut device) | EA | 116 | | |
| 96 | 1109 | Service Reconnection, (w/ open cut excavation, 0'-10' depth, including up to 10 LF of lateral) | EA | 150 | | |
| 97 | 1109 | Service Reconnection, (w/ open cut excavation, 10'-15' depth, including up to 10 LF of lateral) | EA | 50 | | |
| 98 | 1109 | Service Reconnection, (w/ open cut excavation, >15' depth, including up to 10 LF of lateral) | EA | 14 | | |
| 99 | 3300 | Sanitary Sewer Private Laterals (All Sizes) (including COSA permit and licensed plumber) | EA | 2 | | |
| 100 | SS-6001 | Portable Changeable Message Sign, two per Work Site (TXDOT Spec) | Day | 20 | | |