

SAN ANTONIO WATER SYSTEM
SAN ANTONIO, TEXAS

Specifications For Neoprene Apron

June 21, 2002

1. SCOPE

This specification covers a neoprene apron worn by Personnel who work where protection is required due the handling of chemicals such as Fluorosilicic Acid, Hydrofluosilicic Acid, Fluosilicic Acid, and/or Hexafluosilicic Acid and other acids and caustics listed.

2. GENERAL REQUIREMENTS

As found in CFR 1910.133 "General Requirements for Personal Protective Equipment

Description:

Apron must have an excellent rating for wear life due to exposure to chemicals, acids and oil, without pockets.

Physical Property Data:

Construction: one-piece Neoprene on cotton blend or reinforced with nylon, Stitched Hem, extra long neck and waist ties with heavy duty metal grommets.

Weight: 19 oz.

Size: 35 inches by 45 inches minimum

Color: Black

Accessories Description:

None

Special Notations:

International Organization for Standardization (ISO 9000) Certified. SAWS, at no cost to the manufacturer, may subject random units to testing by an independent laboratory for compliance with these specifications. Any visible defect or failure to meet the quality standards herein will be grounds for rejecting the entire order.

3. APPROVED MANUFACTURERS AND MODELS

Manufacturer

Model

1. Ansell Protective Products

05-158